



	cm	"	"	mm				SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG	
AEG®													
KES35, KS30, KS35, KS40	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEA041		120SDEA041*▲	
	35	14						52E	140SPEA041*	140SXEA041		140SDEA041*▲	
	40	16						57E	160SPEA041*	160SXEA041		160SDEA041*	
KES36	33	13	.325	0.063	1,6	22BPX/LPX	7	56E	133SLBD025				
	38	15						62E	153SLGD025	153SFGD025	153RNBD025		
	40	16						67E	163SLGD025	163SFGD025	163RNBD025	163ATMD025	
	45	18						74E	183SLGD025	183SFGD025	183RNBD025	183ATMD025	
	50	20						81E	203SLGD025			203ATMD025	
	33	13	3/8	0.063	1,6	75LGX/LPX/D/DP	7	52E					
	38	15						56E	153SLHD025	153SFHD025	153RNDD025		
	40	16						60E	163SLHD025	163SFHD025	163RNDD025	163ATMD025	
	45	18						66E	183SLHD025	183SFHD025	183RNDD025	183ATMD025	
	50	20						72E	203SLHD025	203SFHD025	203RNDD025	203ATMD025	
	ALKO												
	E1200, 1400E, 1500E, 2000, 2300, E125, 25A, KS, KSB, KE4000, KE3500 VARIO	30	12	91	0.050	1,3	91VG/91VX/91P	7	45E	120SPEA041*	120SXEA041		120SDEA041*▲
35		14						52E	140SPEA041*	140SXEA041		140SDEA041*▲	
40		16						57E	160SPEA041*	160SXEA041		160SDEA041*	
KB3500, KB4000, KB4500, BKS38-35	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E				120SDEA218*	
	35	14						49E	140SPEA218*			140SDEA218*	
	35	14						50E					
	40	16						55E	160SPEA218*			160SDEA218*	
140	30	12	.325	0.050	1,3	20BPX/LPX	7	55E					
	35	14						61E					
240	35	14	.325	0.050	1,3	20BPX/LPX	7	57E					
KB5000	40	16	.325	0.050	1,3	20BPX/LPX	7	65E	160SLGZ095				
	40	16						66E	160SLGK095	160RNBK095			
	45	18						72E	180SLGK095				
1074, P21, P26, P28	35	14	.325	0.058	1,5	21BPX/LPX	7	60E					
	40	16						69E					
3400	40	16	3/8	0.050	1,3	72LGX/LPX/D/DP	7	59E					
	40	16						60E	160SLHD176				
	45	18						64E	180SLHD176				
	45	18						66E					
	50	20						69E					
	50	20						70E	200SLHD176	200RNDD176			
251, 261, 460, 480	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E					
	45	18						64E	188SLHD176				
	50	20						72E		8873D			
FARMERSAW 170	45	18	3/8	0.058	1,5	73LGX/LPX/D/DP	7	66E					
	38	15	3/8	0.063	1,6	75LGX/LPX/D/DP	7	56E					
	45	18						64E					
	50	20						70E					
KE 40	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E				120SDEA089	
	35	14						50E				140SDEA089	
	40	16						56E				160SDEA089	
ALPINA®													
330, 380, Euro-35, Euro-40, 432, 438, Euro 45, P 34, PR350	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E					
	35	14						50E				140SDEA016	
	40	16						56E				160SDEA016	
	45	18						60E					



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
ALPINA® ./..											
ELECTRIC, E120, E130, ES182, ES202, E150, KS1400B, KS 1500B, A-10E, A-14E, 352, 382	30	12	91	0.050	1,3	91VG/91VX/91P	7	44E	120SPEA041*	120SXEA041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXEA041	160SDEA041*
Elettra 160, Elettra 170, 270, 280, Energy 1.6, Energy 1.8, Sinergy 35, Sinergy 40	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E	120SPEA074	120SXEA074	120SDEA074*▲
	35	14						50E	140SPEA074*	140SXEA074	140SDEA074*▲
	40	16						55E	160SPEA074*	160SXEA074	160SDEA074*▲
	40	16						56E			160SDEZ074▲
P360, P370, P390, P391Q, P361	30	12	91	0.050	1,3	91VG/91VX/91P	7	44E			
	35	14						50E	140SPEA074*	140SXEA074	140SDEA074*▲
	40	16						56E	160SPEA074*	160SXEA074	160SDEA074*▲
P370, P410, 402, 422, 442	33	13	95	0.050	1,3	95VPX	7	56E			130MLBS165
	40	16						64E			160MLBS165
P470, 480, 462, 472, 482	40	16	95	0.050	1,3	95VPX	7	66E			160MLBK095
	45	18		0.050	1,3			72E			180MLBK095
PROF-41, PROF-45, P500, A40, A40E, PROF41, PROF45, P400, P450, P500, P460, P510, PRO540, PRO600	30	12	.325	0.050	1,3	20BPX/LPX	7	55E			
	35	14						61E			
	40	16						65E	160SLGZ095		
	45	18						72E	180SLGK095	180RNBK095	
PROF-41, PROF-45, P500, A40, A40E, PROF41, PROF45, P400, P450, P500, P460, P510, PRO540, PRO600, P522	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK095	138PXBK095	
	35	14						61E			
	40	16						66E	168SLBK095		
	45	18						72E	188SLBK095	188RNBK095	
	50	20						78E	208SLBK095		
	30	12	.325	0.050	1,3	20BPX/LPX	7	55E			
PROF-41, PROF-45, P500, A40, A40E, PROF41, PROF45, P400, P450, P500, P460, P510, PRO540, PRO600	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK095	138PXBK095	
	35	14						61E			
	40	16						66E	168SLBK095		
	45	18						72E	188SLBK095	188RNBK095	
	50	20						78E			
PRO55, PRO56, PROF-65, PROF-66, 600, 600i, P650	40	16	3/8	0.050	1,3	72LGX/LPX/D/DP	7	59E			
	45	18						68E		180RNDK095	
	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	59E			
	45	18						64E			
	45	18						68E	39450	188RNDK095	188ATMK095
PROF-700, PROF-800, P.700, P.750, P.800, P660, P680	50	20						72E	208SLHK095	208RNDK095	208ATMK095
	45	18	3/8	0.058	1,5	73LGX/LPX/D/DP	7	68E	188SLHD009	188SFHD009	188RND009
	50	20						72E	208SLHD009	208SFHD009	208RND009
	55	22	3/8	0.063	1,6	75LGX/LPX/D/DP		75E			223ATMD009
	60	24						84E			243ATMD009
0-70, 0-70 TENDIMATIC, 0-70 SPECIAL, PROF-70	60	24	.404	0.063	1,6	59L/59AC/27/27P		76E			243ATMD009
	38	15	3/8	0.063	1,6	75LGX/LPX/D/DP	7	55E			
	45	18						65E		183RND029	
0-90, PROF-90, PROF-120	50	20						69E			
	53	21	.404	0.063	1,6	59L/59AC/27/27P	7	71E			
	63	25						82E			
	75	30						94E			
	92	36						107E			

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.





	cm	"	"	mm				SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
BELL												
PICKPINE 16, 34, 38	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E				120SDEA218*
	35	14						49E	140SPEA218*			140SDEA218*
	40	16						55E	160SPEA218*			160SDEA218*
BERNARD												
BM225.3, BM230.0,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXE041		120SDEA041*▲
BM230.1, BM236.3,	35	14						52E	140SPEA041*	140SXE041		140SDEA041*▲
BM441.3, BM441.5	40	16						57E	160SPEA041*	160SXE041		160SDEA041*
BM646.3, BM651.3,	40	16	3/8	0.050	1,3	72LGX/LPX/D/DP	7	60E	160SLHD176		160RNDD176	
BM751.3	45	18						66E			180RNDD176	
	50	20						70E	200SLHD176		200RNDD176	
BLACK&DECKER®												
Alligator LP 1000	15	6	1/4	0.050	1,3	25AP	9	40E				
	25	10					9	42E				
PP2018, CSC818, LH1600, GKC1817	20	8	90	0.042	1,1	90SG	5	34E				
	40	16	91	0.05	1,3	91VG/91VX/91P	6	56E				
CS30, CS35, DN400, DN401,	25	10	91	0.050	1,3	91VG/91VX/91P	6	39E				100SDEA218
DN402, DN404, DN412,	30	12						44E				120SDEA218*
DN416, GK425, GK330, GK310, GK1935,	35	14						49E				140SDEA218*
GK320, GK321, GK322, GK35,	40	16						56E				160SDEA218*
GK330, GK430, GK435, GK440,												
GK535, GK540, GK1440,												
GK1630, GK1635, GK1640, GK1940												
DN301, DN302,	25	10	91	0.050	1,3	91VG/91VX/91P	6	39E				
	30	12						45E				
BLITZ												
B300, B304, B34,	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E				
B35D, B38, B400,	35	14						49E				140SDEA111
B404, E140F	40	16						56E				160SDEA129
B42, B45A, B54A,	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095			
B46, B51	33	13						56E	138SLBK095	138PXBK095	138RNBK095	
	35	14						60E				
	38	15						64E	158SLGK095		158RNBK095	
	38	15						64E	158SLBK095	158PXBK095	158RNBK095	
	40	16						66E	168SLGK095	168PXBK095	168RNBK095	
	45	18						68E	34372			
	45	18						72E	188SLGK095	188PXBK095	188RNBK095	
	50	20						78E	208SLGK095		208RNBK095	
B50, B500, B501S,	38	15	3/8	0.058	1,5	73LGX/LPX/D/DP	7	56E				
B502, B504, B52, B55,	40	16						60E	168SLHD024	168SFHD024		
B60, B600, B64, B701,	45	18						68E	188SLHD024	188SFHD024		188ATMD024
B702, B80, B800,	50	20						72E	208SLHD024	208SFHD024	208RNDD024	208ATMD024
B802, B804	58	23						80E				
	40	16	.404	0.058	1,5	58L/26	7	55E				
	40	16						62E				188ATMD024
	50	20						66E				208ATMD024
	58	23						73E				
B100, B100F	53	21	.404	0.063	1,6	59L/59AC/27/27P	7	68E			213RNFE031	213ATME031
	63	25						80E				
BOSCH												
AKE30/17S, AKE35/17S, AKE30-18S, AKE40S,	30	12	90	0.042	1,1	90SG	7	45E				124MLEA041



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 72



	cm	"	"	mm				SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
BOSCH ./..												
AKE 40/17s, AKE35, AKE30S, AKE36S,	35	14						52E				144MLEA041
AKE30-19S, 35-19S, 40-19S, AKE40-19S,	40	16						57E				164MLEA041
40-19PRO, AKE-35-18S												
1586.7, 1586.8, AKE30B, AKE30LI	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEA041		120SDEA041*
AKE35B, AKE40B, GKE35BC,	35	14						52E	140SPEA041*	140SXEA041		140SDEA041*
GKE40BC, PKE25, PKE30B,	40	16						57E	160SPEA041*	160SXEA041		160SDEA041*
PKE35B, PKE40, AKE35-19PRO, 40-19PRO												
BULLCRAFT												
BES1300B, KS400S,	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E				120SDEA218*
KS40S, KSE1300B,	35	14						49E			140SPEA218*	140SDEA218*
KSE30,	40	16						55E			160SPEA218*	160SDEA218*
KS450	40	16	.325	0.050	1,3	20BPX/LPX	7	65E	160SLGZ095			
	40	16						66E	160SLGK095	160RNBK095		
	45	18						72E	180SLGK095			
CAMPAGNOLA												
	25	8	1/4	0.050	1,3	25AP	9	48E				080SDAA108
	25	8	91	0.050	1,3	91VG/91VX/91P	6	40E				34099
CASTEL												
CS35P,	30	12	91	0.050	1,3	91VGX/91VX	6	44E				
	35	14						50E				140SDEA016
CS16E, CS17E	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E				
	35	14						50E				
	40	16						55E				
CS36, CS39	30	12	91	0.050	1,3	91VG/91VX/91P	7	44E				
	35	14						50E				
	40	16						56E				
CS45, CS50	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK095	138PXBK095		
	35	14						61E				
	40	16						66E	168SLBK095			
	45	18						72E	188SLBK095	188RNBK095		
	50	20						78E				
CS60	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	59E				
	45	18						64E				
	45	18						68E	39450	188RNDK095	188ATMK095	
	50	20						72E	208SLHK095	208RNDK095	208ATMK095	
CASTOR®												
TR350,	30	12	90	0.043	1,1	90SG	6	44E				
330, CX 35, 380, CX40,	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E				
423, 438, CX 45, P34,	35	14						50E				140SDEA016
P-34S, CP-34S, TR350	40	16						56E				160SDEA016
ELETTRA 160, ELETTRA170,	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E				
High-Tech 1.6, High-Tech 1.8, ES180,	35	14						50E				
Hi-TEC 2, 0Q	40	16						55E				
	40	16						56E				
CP360, CP370, CP380, CP361, CP391	30	12	91	0.050	1,3	91VG/91VX/91P	7	44E				
	35	14						50E				
	40	16						56E				
	45	18						60E				
CP370	33	13	95	0.050	1,3	95VPX	7	56E				130MLBS165
	40	16						64E				160MLBS165

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 73

T* = INTENZ



www.oregonchain.eu





	cm	"	"	mm		SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
CASTOR® J..										
	30	12	91	0.050	1,3	91VG/91VX/91P	7	44E		
	35	14						50E		
	40	16						56E		
	45	18						60E		
CP410	33	13	95	0.050	1,3	95VPX	7	56E		130MLBS165
	40	16						64E		160MLBS165
C40, C40E, CP41, CP45	30	12	.325	0.050	1,3	20BPX/LPX	7	55E		
	35	14						61E		
	40	16						65E	160SLGZ095	
	45	18						72E	180SLGK095	
	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK095	138PXBK095
	35	14						61E		
	40	16						66E	168SLBK095	
	45	18						72E	188SLBK095	188RNBK095
	50	20						78E		
CP400, CP450, CP500, CP460, CP510, CP540, CP540i, CP550	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK095	138PXBK095
	35	14						61E		
	40	16						66E	168SLBK095	
	45	18						72E	188SLBK095	188RNBK095
	50	20						78E		
CP-55, CP-56, CP-65, CP-66, CP600, CP600i, CP650	30	40	3/8	0.050	1,3	72LGX/LPX/D/DP	7	59E		
	35	19						68E		180RNDK095
	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	59E		
	45	18						64E		
	45	18						68E	39450	188RNDK095
	50	20						68E		
	50	20						72E	208SLHK095	208RNDK095
										208ATMK095
CP-700, CP-800, CP750	45	18	3/8	0.058	1,5	73LGX/LPX/D/DP	7	68E	188SLHD009	188SFHD009
	50	20						72E	208SLHD009	208SFHD009
										208RNDK095
	55	22	3/8	0.063	1,6	75LGX/LPX/D/DP		75E		
	60	24						84E		
	60	24	.404	0.063	1,6	59L/59AC/27/27P		76E		
										223ATMD009
										243ATMD009
										243ATMD009
C-70, C-70 TENDIMATIC, C-70 SPECIAL, CP-700	38	15	3/8	0.063	1,6	75LGX/LPX/D/DP	7	55E		
	45	18						65E		
	50	20						69E		
									183RNDK029	
C-90, CP-90, CP-120	53	21	.404	0.063	1,6	59L/59AC/27/27P	7	71E		
	63	25						82E		
	75	30						94E		
	92	36						107E		
CRAFTSMAN®										
36, 38, 1636, 1842	40	16	91	0.050	1,3	91VG/91VX/91P	6	56E		160SDET041
	45	18						62E		180SDET041
46, 205	50	20	.325	0.050	1,3	20BPX/LPX	7	78E		
DANARM										
1-36MARKII, 1-36MARKIII, 1-36MARKIV	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E		120SDEA064
	35	14						52E		140SDEA064
	40	16						56E	160SPEA064	160SDEA064
CUB CADET®										
CS3916	35	14	91	0.050	1,3	91VG/91VX/91P	6	52E	140SPEA041	140SXEA041
	40	16						57E	160SPEA041	160SXEA041
										140SDEA041
										160SDEA041



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 74



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
CUB CADET® ./..											
	45	18					62E				180SDEA041
CC1936, CC2740	35	14	91	0.050	1,3	91VG/91VX/91P	6	52E	140SPEA095		140SDEA095▲
	40	16						56E	160SPEA095		160SDEA095▲
CC3045, CC3352, CC3651, CC4051, CS5018, CS5220	38	15	.325	0.058	1,5	21BPX/LPX	7	64E	158SLGK095	158RNBK095	
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
CC4256, CS5720	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHK095		168RNDK095
	45	18						68E	188SLHK095		188RNDK095
	50	20						72E		208RNDK095	
DOLMAR®											
AS-1212, PS221, PS-34, PS-3, PS221, PS222	12	5	1/4	0.050	1,3	25AP	6	42E			
	25	10		0.050	1,3	25AP		60E			
ES-31, ES-36, ES40, ES32, ES37, ES4, ES5, PS221, PS222, ES41, ES32	30	12	90	0.043	1,1	90SG	6	45E			124MLEA041
	30	12						46E			124MLEZ041*
ES-38A	35	14						52E			144MLEA041*
ES-42A	40	16						56E			164MLEZ041
ES-152A, ES-162A, ES172A, PS-34, PS3410, PS350,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEA041	120SDEA041*▲
	30	12						46E			120SDEZ041*
PS-3300TH, PS-330, PS-340, PS34, PS45, PS3410	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
PS41, PS-341, PS-344, PS-400, ES41, PS390, ES40, ES6, PS-401, PS-33, 100, 102, 103, 105, 108, ES37, CS2040, 101, 104, 106, ES152, ES2035, ES162, ES172, ES151, ES140, 275, ES30, ES3, ES160, 285, ES161, ES2040, ES2035, ES153, ES183, ES173, ES163	40	16						56E			160SDEZ041*▲
	40	16						57E	160SPEA041*	160SXEA041	160SDEA041*
PS-410, PS-411, PS420	33	13	95	0.050	1,5	95VPX	7	56E			130MLBK041
	38	15						64E			150MLBK041
	45	18						72E			180MLBK041
111, 115i, PS5000, PS4600, 110, 109, PS510, PS540, PS5100S, PS500, PS460	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095	
	38	15						64E	150MPBK095	150MLBK095	
PS-4605	45	18						72E	180MPBK095	180MLBK095	
	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	38	15						64E	158SLBK095	158PXBK095	158RNBK095
	40	16						66E	168SLBK095		
	40	16						66E	168SLGK095	168PXBK095	
	40	16						68E	34372		
	45	18						72E	188SLBK095		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
109, PS-43, 112, 111, PS-52, 117, 115, PS5000, PS5105, PS4600	38	15	3/8	0.058	1,5	73LGX/LPX/D/DP	7	56E	158SLHK153		
	43	17						64E		178RNB083	178ATMB083
	45	18						64E	188SLHK153		
	50	20						72E	208SLHK153		208RNB083
	53	21						72E			
112, 113, 114, 116, ES-1800	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 75

T* = INTENZ



www.oregonchain.eu





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
DOLMAR® ./..											
	35	14					60E				
	38	15					64E	158SLGK095		158RNBK095	
	38	15					64E	158SLBK095	158PXBK095	158RNBK095	
	40	16					66E	168SLBK095			
	40	16					66	168SLGK095	168PXBK095		
	40	16					68E	34372			
	45	18					72E	188SLBK095			
	45	18					72E	188SLGK095	188PXBK095	188RNBK095	
	50	20					78E	208SLGK095		208RNBK095	
117, 119, 120, 219, PS-6000i, PS6000iH, PS6800i, PS6800iH, 120Si, 1231	38	15	3/8	0.058	1,5	73LGX/LPX/D/DP	7	56E	158SLHK153		
	43	17						64E		178RNB083	178ATMB083
	45	18						64E	188SLHK153		
	50	20						72E	208SLHK153	208RNB083	
	53	21						72E			
122, 123, 133, 143, CA, KMS4, PS9000, PS9010, 153, 152, 144, 186	43	17	3/8	0.058	1,5	73LGX/LPX/D/DP	8	64E			
	50	20						72E		208RND033	208ATMD033
	58	23						80E			
	74	29						96E			
PS-6400, PS-7300, PS-7900, PS9000, PS9010	38	15	3/8	0.058	1,5	73LGX/LPX/D/DP	7	56E	158SLHD009	158SFHD009	
	38	16						60E	168SLHD009	168SFHD009	
	45	18						68E	188SLHD009	188SFHD009	188ATMD009
	50	20						72E	208SLHD009	208SFHD009	208ATMD009
	60	24						84E			248ATMD009
	70	28						92E			288ATMD009
144, 153, 166PD, CA CC, CT, DD217, 133	43	17	.404	0.063	1,6	59L/59AC/27/27P	7	61E		173ATMD033	
	53	21						70E			
DRUSZBA											
All Models	50	20	.404	0.063	1,6	59L/59AC/27/27P	7	64E	203SLFM015	203RNF015	
DYNAMAC											
DY 15E	30	12	90		1,1	90SG	6	45E			
DY 36	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXE041	120SDEA041*
	35	14						52E	140SPEA041*	140SXE041	140SDEA041*
	40	16						56E	160SPEA041*	160SXE041	160SDEA041*
30F, 35F, E140F, DY 17E, DY36	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			
	35	14						49E			140SDEA111
	40	16						56E			160SDEA129
DY 41	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095	
	38	15						64E	150MPBK095	150MLBK095	
	40	16						66E	160MPBK095	160MLBK095	
	45	18						72E	180MPBK095	180MLBK095	
45	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
DY 56, DY 62	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHK095		168ATMK095
	45	18						68E	39450	188RNDK095	188ATMK095



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 76



	cm	"	"	mm				SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
DYNAMAC J..												
	50	20						72E	208SLHK095		208RNDK095	208ATMK095
	55	22						77E				
55DELUXE	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD024	168SFHD024		
	45	18						68E	188SLHD024	188SFHD024		188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208RND024	208ATMD024
ECHO®												
CS-280E, CS-304VL, CS-351VL, CS-302, 341, 346, 3000, 3400, 3450, CS-280EG, CS-280EVL	25	10	1/4	0.050	1,3	25AP	9	56E				
	30	12						66E				120SDAA041
	35	14						76E				140SDAA041
CS-285EVL, CS-290EVL, CS-300EVL, CS-280E, CS-301, CS305, CS341, CS346, CS-302, CS-315, ECS150, ECS1850FT, CS-320EVL, CS-328, CS-340, CS-345, CS351, CS-330EVL, CS-360EVL, CS370, E155, CS-2800, CS-2900, S2000, CS3000, CS3050, CCS3400, CS3450, CS4400, ECS150, ECS1850FT, S2600, CS3000, CS3400, C2700, CS3050, CS3500, CS350	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEA041		120SDEA041*▲
	30	12						47E				
	35	14						52E	140SPEA041*	140SXEA041		140SDEA041*▲
	35	14						53E				
CS-3600, CS-3900, CS400, CS520 CS-4000, CS-4400, CS4500, CS5000 CS-4500, CS-400EVL, CS-440EVL, CS-440EVLH, CS3700, CS4200, CS510, CS4100	40	16						57E	160SPEA041*	160SXEA041		160SDEA041*
CS-5000, CS-5500, CS-5501, CS-6700,	33	13	.325	0.050	1,3	20BPX/LPX	7	56E				
	35	14						61E	160SLGK041		160RNBK041	
	38	15						64E	180SLGK041		180RNBK041	
	40	16						66E				
CS-3600, CS-360EVL, CS-4000, CS-400EVL, CS-4010, CS-440EVL, CS-4500, CS-4510, CS-4600, CS-4610, CS-5000, 5100, CS-4400, CS-4200	45	18						72E	188SLGD176			
	40	16	.325	0.058	1,5	21BPX/LPX	7	67E	138SLBK041	138PXBK041		
	45	18						72E				
CS-60S, CS-451VL, CS-452VL, CS-500EVL, CS-500VL, CS-510EVL, CS-550EVL, CS-600EVL, CS-602VL, CS-610EVL, CS-706, CS-650EVL, CS-660EVL, CS-670, CS-701, CS-702VL, CS750EVL, CS-501, CS-601, CS-750VL, CS-5500, 6700, 8000	33	13	3/8	0.050	1,3	72LGX/LPX/D/DP	7	52E				
	38	15						56E	160SLHD176		160RND176	
	40	16						59E	180SLHD176			
	40	16						60E				
CS-5501, CS-6700, 6702, 6800, CS-6701, CS-8000, CS-5000, CS-6700, CS-8000, 8001	45	18						64E	200SLHD176		200RND176	
	50	20						69E			240RND176	
	50	20						70E				
	60	24						81E				
	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	52E				
	38	15						56E				
	40	16						59E	188SLHD176			
	40	16						60E	208SLHD176			
	45	18						64E			8873D	
	50	20						70E				
	50	20						72E				
	60	24						81E				

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 77

T* = INTENZ



www.oregonchain.eu





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
ECHO® ./..											
CS-900EV, CS1001	43	17	.404	0.063	1,6	59L/59AC/27/27P	7	62E			
	53	21						72E			
	63	25						82E		213ATLE086	
	75	30						92E		253ATLE099	
CS-1100VL, CS-1200, 1201	53	21	.404	0.063	1,6	59L/59AC/27/27P	7	72E		213ATLE086	
	63	25						84E		253ATLE099	
EFCO®											
PT2500,	25	10	90	.043	1,1	90SG	6	39E			104MLEA318
131, 132, 125, 3600, 4000, MT350, MT3500	25	10	91	0.050	1,3	91VG/91VX/91P	6	40E			100SDEA041
	30	12						45E	120SPEA041*	120SXE041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXE041	140SDEA041*▲
	40	16						56E	160SPEA041*	160SXE041	160SDEA041*▲
134, 135, 114E, 115, 116E, 117E, 136, 140, 140S, 119	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			140SDEA111
	35	14						49E			160SDEA129
	40	16						56E	130MPBK095	130MLBK095	
138, 141	33	13	95	0.050	1,3	95VPX	7	56E	150MPBK095	150MLBK095	
	38	15						64E	160MPBK095	160MLBK095	
	40	16						66E	180MPBK095	180MLBK095	
	45	18						72E			130MLBK041
140S	33	13	95	0.050	1,3	95VPX	7	56E			160MLBK041
	40	16					7	66E	118SLBK095		
142, 146, 151, 156, 162, 147, 152, 165	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	138SLBK095	138PXBK095	138RNBK095
	33	13						56E			
	35	14						60E	158SLGK095		158RNBK095
	38	15						64E	168SLGK095	168PXBK095	168RNBK095
	40	16						66E	34372		
	40	16						68E	188SLGK095	188PXBK095	188RNBK095
	45	18						72E	208SLGK095		208RNBK095
	50	20						78E	168SLHD024	168SFHD024	
170, 180, 171, 181	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	188SLHD024	188SFHD024	188ATMD024
	45	18						68E	208SLHD024	208SFHD024	208RND024
	50	20						72E			
	58	23						80E			
	63	25						88E			308ATMD024
	75	30						98E			
	40	16	.404	0.058	1,5	58L/26	7	55E			188ATMD024
	45	18						62E			208ATMD024
	50	20						66E			
	58	23						73E		173RNFE031	173ATLE031
199	43	17	.404	0.063	1,6	59L/59AC/27/27P	7	60E		213RNFE031	213ATME031
	53	21						68E			
	63	25						80E			
	75	30						92E			
	90	36						108E			
	104	41						123E			
EINHELL											
EKS25, EKS35	25	10	91	0.050	1,3	91VG/91VX/91P	7	41E			
	30	12						47E			
	35	14						54E			



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

www.oregonchain.eu

T* = INTENZ

A - 78



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
EINHELL ./..											
	40	16					58E				
40A, 41, MKS30, MKS40AV	30	12	91	0.050	1,3	91VG/91VX/91P	7	45E			120SDEA064
	35	14						52E			140SDEA064
	40	16						56E	160SPEA064		160SDEA064
	40	16						56E	160SPEA064		160SDEA064
PES30, PES34, PES34, PES35, PES40, PROFi, KSE1640, KSE1435, EKS1650, PES 1640, PES 1540, KSE1435, KSE1635, KSE, KSE1640, KSE2000, PKS1635, PKS1840	30	12	91	0.050	1,3	91VG/91VX/91P	7	45E	120SPEA041*	120SXEA041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXEA041	160SDEA041*
	40	16						57E	160SPEA041*	160SXEA041	160SDEA041*
PKS45/1AV, PKS50/1AV	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
ELPI											
All Models	33	13	.325	.058	1,5	21BPX/LPX		56E	138SLBK095	138PXBK095	
ESPER											
SS-300, SS-360	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEA041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXEA041	160SDEA041*
FESTO											
ZKS30	35	14	.325	0.050	1,3	20BPX/LPX	7	61E			
	35	14	3/8	0.050	1,3	72LGX/LPX/D/DP	7	54E			
FOLUX											
E140F, F130, F140, F2, F3, F30, F35, F4, F41	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			
	35	14						49E			140SDEA111
	40	16						56E			160SDEA129
F150, F155, F40, F42, F46, F51	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
CAMPERA160, F160, F165, F170A, F180A, F5, F55A, F6, F7, F8	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD024	168SFHD024	
	45	18						68E	188SLHD024	188SFHD024	188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208ATMD024
	58	23						80E			
	63	25						88E			
	40	16	.404	0.058	1,5	58L/26	7	55E			
	45	18						62E			188ATMD024
	50	20						66E			208ATMD024
	58	23						73E			
	58	23						73E			
FRONTIER											
F35AV, FB35, FB35AV, FB35VIP, FP35,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E			120SDEA064
	35	14						52E			140SDEA064

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 79

T* = INTENZ



www.oregonchain.eu





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
FRONTIER ./..											
FP365VIP, MK1,	40	16					56E	160SPEA064			160SDEA064
FP45	40	16	.325	0.050	1,3	20BPX/LPX	7	65E	160SLGZ095		
	45	18						72E	180SLGK095		
GARDEN											
35, 40, 45, 245, GD33	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			
	35	14						50E			140SDEA016
	40	16						56E			160SDEA016
	45	18						60E			
E 16, E17, GD160, GD170	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			
	35	14						50E			
	40	16						55E			
	40	16						56E			
GD36, GD39	30	12	91	0.050	1,3	91VG/91VX/91P	7	44E			
	35	14						50E			
	40	16						56E			
	45	18						60			
GD45, GD50	33	13	.325	0.058	1,5	21BPX/LPX		56E	138SLBK095	138PXBK095	
	35	14					7	61E			
	40	16						66E	168SLBK095		
	45	18						72E	188SLBK095	188RNBK095	
	50	20						78E			
GRIZZLY®											
KS400i	40	16	90	0.043	1,1	90SG	6	55E			164MLET074
HANDY											
30HF, 35HF, 41HF,	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			
E140F, F130, F140	35	14						49E			140SDEA111
	40	16						56E			160SDEA129
40HF	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	40	16						66E	168SLGK095	168PXBK095	
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095	208RNBK095	
HITACHI											
CS280A, CS280B,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEA041	120SDEA041*▲
CS350A, CS350B, CS35B	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXEA041	160SDEA041*
HOMELITE®											
20AV, 23AV, 27, 3300, 3350, 3550, 3800,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEA041	120SDEA041*▲
3335, 3850, 4500, 4550, PS33, RANGER,	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
3300, CS40, TIMBERMAN, UT10901,	40	16						56E	160SPEA041*	160SXEA041	160SDEA041*▲
UT10926, UT10974											
192, 200, 240SL, 245SL,	20	8	91	0.050	1,3	91VG/91VX/91P	6	37E			
SUPER2/2CC, 180Series, 190, 192,	25	10						42E			
SUPER2SL	30	12						48E	120GPEA061*		120DGEA061*
ELELECTRIC, XL, XL-10,	30	12						49E			
XL2 CC, XL2SUPER, XLTI,	35	14						52E	140GPEA061*		
BANDIT LX30, EL14,	35	14						53E			140DGEA061*



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 80



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
--	----	---	---	----	--	--	-------------	----------------	----	----	----------

HOMELITE® /..

SABRE 31, 33, 205	40	16					59E	160GPEA061*			160DGEA061*
30, 150, EZ, EZAUTO, 130	30	12	.325	0.050	1,3	20BPX/LPX	8	54E			
MINI, SUPEREZAUTO,	33	13						56E			
SUPERXLMINI, EZ250, 252,	35	14						61E			
VISUPERMINI,	40	16						67E	160SLGZ095	160RNBK095	
VI-123, VI-125, XL-76,	45	18						72E	180SLGK095		
XL100SERIES, XL250, 415b, 4550b	50	20						78E		200RNBK095	
290, 300, 340 MINI SL, 150, CS-40	30	12	3/8	0.050	1,3	72LGX/LPX/D/DP	7	49E			
	35	14						54E			
	40	16						59E			160PXDK095
	45	18						64E		180ATMZ095	
	50	20						70E		200ATMZ095	
	60	24						81E			
250, 252, 290, 290C,	33	13	.325	0.050	1,3	20BPX/LPX	8	57E			
300, 340, 340C,	35	14						61E			
3850B, 415b, 4550b, HSC4040, 4545	38	15						65E			
	40	16						66E			160PXBK095
	40	16						69E			
	45	18						73E	180SLGK095		
	33	13	.325	0.058	1,5	21BPX/LPX	7	57E	138SLBK095	138PXBK095	138RNBK095
	35	14						61E			
	38	15						65E	158SLGK095		158RNBK095
	38	15						65E	158SLBK095	158PXBK095	158RNBK095
	40	16						67E	168SLGK095	168PXBK095	168RNBK095
	40	16						69E	34372		
	45	18						73E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
330, 350, 360AO, 360SL, 700, 800, 825,	40	16	3/8	0.050	1,3	72LGX/LPX/D/DP	7	60E	160GLHD196		160RND196
460, 400, 540, 410, 450, 450SL, 550, 850,	50	20						70E	200GLHD196		200RND196
825, 900, 922, 923, 400, 700, 800, 550SL,	60	24						81E			240RND196
650, 750, 925, 955, SUPERXLAUTO, SXLA0,	67	27						93E			
SXL925, XL12, 8800	73	29						98E			
1000XP, 1020, 2100,	43	17	3/8	0.063	1,6	75LGX/LPX/D/DP	7	68E			
700DSERIES,	53	21						78E			
S1050AUTO	63	25						90E			
SUPER1050XP, WIZ,	43	17	.404	0.063	1,6	59L/59AC/27/27P	7	62E			
XSERIES, XP SERIES,	53	21						71E			
XP2000, ZIP	63	25						82E			
360	43	17	.404	0.063	1,6	59L/59AC/27/27P	7	62E			
	53	21						71E			

HUSQVARNA®

325P4X, 325P4x, 323P4	25	10	91	0.050	1,3	91VG/91VX/91P	6	40E			
250PS,	20	8	91	0.050	1,3	91VG/91VX/91P	6	32E			
23, 36, 41, 136, 137, 141, 142,		12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXE041	120SDEA041*▲
243, E16, E316, E317, E321		14						52E	140SPEA041*	140SXE041	140SDEA041*▲
		16						56E	160SPEA041*	160SXE041	160SDEA041*▲
		18						62E			180SDEA041*
33, 36, 41, 335XPT, 333, 334, 1600,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA095		120SDEA095*▲
338, 1400, 136, 141, 315, 316, 318,	35	14						52E	140SPEA095*		140SDEA095*▲
137, 142, 243, 320, 321, 338XPT,	40	16						56E	160SPEA095*		160SDEA095*▲

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 81

T* = INTENZ



www.oregonchain.eu





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
HUSQVARNA® ./..											
16, 316	45	18					60E				180SDEA095
HUSKY32, HUSKY38,	30	12	91	0.050	1,3	91VG/91VX/91P	6	47E			
	35	14						53E			
	40	16						58E			
133, 134, 234, 234, 238, 33, 36, 40, 41, 42, 44, 45, 49, 50, 51, 57, 55, E1400, E1600, EL16, 242XP, 246, 254, 257, 254, 142, 339, 340, 345, 346, 350, 351, 353, 357, 359, 360, 444, 455	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095	
	38	15						64E	150MPBK095	150MLBK095	
	40	18						72E	180MPBK095	180MLBK095	
350, 351, 353, 355	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	38	15						64E	158SLBK095	158PXBK095	158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
133, 136, 137, 140, 141, 142, 154, 234, 238, 240, 242, 234,, 246, 254, 257, 261, 340, 345, 346, 350, 351, 357, 359, 360, 444, 450, 455, 235, 340, EL16, EL1400, EL1500, EL1600, 460	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	38	15						64E	158SLBK095	158PXBK095	158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
154, 254, 257, 261, 262, 362, 357, 359, 560XP 455, 55	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	38	15						64E	158SLBK095	158PXBK095	158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	50E	138SLDK095		138RNDK095
	33	13						52E			
	38	15						56E	158SLHK095		
	40	16						60E	168SLHK095		168RNDK095
	45	18						64E	188SLHK095		168ATMK095
	45	18						68E	39450		188RNDK095
	50	20						72E			188ATMK095
	60	24						84E			248RNDK095
162, 61, 181, 185 2100, 2100, 266, 160, 260, 268, 272, 272, 281, 285, 288, 365, 380, 394, 395, 390, 371, 394, 298, 380, 480, 65, 66, 77, 70,	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	52E	138SLHD009		138RNDK095
	38	15						56E	158SLHD009	158SFHD009	158RNDK095
	40	16						60E	168SLHD009	168SFHD009	168RNDK095
	43	17						64E	178SLHD009		178RNDK095
	45	18						68E	188SLHD009	188SFHD009	188RNDK095



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 82



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
HUSQVARNA® ./..											
372, 385, 395, 480, 562XP, 570, 575, 576XP, 575XP, 1100 2101, 3120	50	20					72E	208SLHD009	208SFHD009	208RNDD009 228RNDD009	208ATMD009
	55	22					76E			228RNDD009	
	60	24					84E			248RNDD009	248ATMD009
	65	26					89E			268RNDD009	
	70	28					92E			288RNDD009	288ATMD009
	75	30					102E			308RNDD009	
	90	36	3/8	0.063	1,6	75LGX/LPX/D/DP	7	115E		363RNDD009	363ATLD009
3120, 395	55	22	.404	0.063	1,6	59L/59AC/27/27P	7	68E			223ATMD009
	60	24						76E		243RNFD009	243ATMD009
	90	36						104E		363RNFD009	363ATLD009
	33	13	3/8	0.058	1,5	75LGX/LPX/D/DP	7	52E	138SLHD009	138RNDD009	
	33	13						52E	138SLDD009	138RNDD009	
	38	15						56E	158SLHD009	158SFH009	158ATMD009
	40	16						60E	168SLHD009	168SFHD009	168ATMD009
	43	17						64E	178SLHD009	178RNDD009	178ATMD009
	45	18						68E	188SLHD009	188SFHD009	188ATMD009
	50	20						72E	208SLHD009	208SFHD009	208ATMD009
	55	22						76E		228RNDD009	
	60	24						84E		248RNDD009	248ATMD009
	65	26						89E		268RNDD009	
	70	28						92E		288RNDD009	288ATMD009
	75	30						102E		308RNDD009	
	90	36	3/8	0.063	1,6	75LGX/LPX/D/DP	7	115E		363RNDD009	363ATLD009
SAWMILL	40	16	95R	0.050	1,3		8	67E			
	50	20						81E			
HYDRASAW											
MILES ROYSTON	45	18	3/8	0.058	1,5	73LGX/LPX/D/DP	7	70E			188ATMD009
	55	22						79E			
IKRA											
KS 1400, KS 1500, KS 1600, EKS 1600, EKS1700, EKS1800, KS 2000, KS 1200, KS 1400	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXE041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXE041	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXE041	160SDEA041*
	45	18						62E			180SDEA041
	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXE041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXE041	140SDEA041*▲
	40	16						56E	160SPEA041*	160SXE041	160SDEA041*▲
	40	16									
INKAR											
All Models	38	15	.325	.058	1,5	21BPX/LPX		64E	158SLBK095	158PXBK095	
IRCEM											
1700F,	40	16	.325	0.050	1,3	20BPX/LPX	8	64E			
12000F	45	18	3/8	0.058	1,5	73LGX/LPX/D/DP	7	68E	188SLHD024	188SFHD024	188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208RNDD024
JCBHYDROCHIEF											
All models	43	17	3/8	0.063	1,6	75LGX/LPX/D/DP	7	67E		173RNDE031	173ATME031
	53	21						75E		213RNDE031	213ATME031
	63	25						83E			253ATLE099
	43	17	.404	0.063	1,6	59L/59AC/27/27P	7	60E		173RNFE031	173ATME031
	53	21						68E		213RNFE031	213ATME031
	63	25						80E			253ATLE099

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 83

T* = INTENZ



www.oregonchain.eu





	cm	"	"	mm		SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
JOBU										
941, 941S, EL1201, EL880, SL361, SL41	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E		120SDEA064
	35	14						52E		140SDEA064
	40	16						57E	160SPEA064	160SDEA064
SL-3, SL31, SL35	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SXEA041	120SDEA041*▲
	35	14						52E	140SXEA041	140SDEA041*▲
	40	16						57E	160SPEA041* 160SXEA041	160SDEA041*
LP4, LP40, LP5, LP50, LP6	33	13	.325	0.058	1,5	21BPX/LPX	7	56E		
	38	15						64E		
949, EL14	28	11	.325	0.058	1,5	21BPX/LPX	8	52E	118SLBK095	
	33	13						56E	138SLBK095 138PXBK095	138RNBK095
	35	14						60E		
	38	15						64E	158SLGK095	158RNBK095
	40	16						68E	34372	
	45	18						72E	188SLGK095 188PXBK095	188RNBK095
	50	20						78E	208SLGK095	208RNBK095
	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	50E	138SLDK095	138RNDK095
	38	15						56E	158SLHK095	158RNDK095
	40	16						59E		
JOHN DEERE®										
25EV, 28, 28V, 30, 30V, 35EV, 40V, 200CS, 230CS, CCS36, CS36LE, CS40, CS40LE, CS40V	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041* 120SXEA041	120SDEA041*▲
	35	14						52E	140SPEA041* 140SXEA041	140SDEA041*▲
	40	16						57E	160SPEA041* 160SXEA041	160SDEA041*
CS46, CS52, CS56, CS62	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095 130MLBK095	
	38	15						64E	150MPBK095 150MLBK095	
	45	18						72E	180MPBK095 180MLBK095	
	40	16	.325	0.050	1,3	20BPX/LPX	7	66E	160SLGK095	160RNBK095
	45	18						72E	180SLGK095	180ATMZ095
45EV, 46EV, 300CS, 450V	40	16	.325	0.050	1,3	20BPX/LPX	7	66E	160SLGK041	160RNBK041
	45	18						72E	180SLGK041	180RNBK041
50AV, 50V, 51SV, 55SV, 55V, 60V, 65, 65SV, 66SV, 70V, 80EV, 800V	40	16	3/8	0.050	1,3	72LGX/LPX/D/DP	7	60E	160SLHD176	160RND176
	45	18						64E	180SLHD176	
	50	20						69E		
	50	20						70E	200SLHD176	200RND176
	60	24						81E		240RND176
CS71, CS81	40	16	3/8	0.050	1,3	72LGX/LPX/D/DP	7	60E	160GLHD196	160RND196 160ATMD196
	50	20						70E	200GLHD196	200RND196 200ATMD196
	60	24						81E		240RND196
JONSERED®										
BABYSAWM36, M361, 361, 365, 370	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E		120SDEA064
	35	14						50E		
	35	14						52E		140SDEA064
	40	16						57E	160SPEA064	160SDEA064
2033 TH	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041* 120SXEA041	120SDEA041*▲
	35	14						52E	140SPEA041* 140SXEA041	140SDEA041*▲
	40	16						57E	160SPEA041* 160SXEA041	160SDEA041*
2118 EL, 2115EL, 2035, 2116, 2115, 2135, 2121, 2117, 2137, 2138, 2139	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA095	120SDEA095▲
	35	14						52E	140SPEA095*	140SDEA095*▲
	40	16						56E	160SPEA095*	160SDEA095*▲
	45	18						60E		180SDEA095
EL14, EL1200, 45E, 49SP, 50, 52, 2014,	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095	



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
JONSERED® ./..											
2015, 2016, 2012, 51, 370, 380, 410, 420,	33	13					56E	138SLBK095	138PXBK095	138RNBK095	
425, 435, 450, 451, 45, 451EVS, 452, 490	35	14					60E				
455, 450, 451, 455, 510, 520, 521, 510, 520,	38	15					64E	158SLGK095		158RNBK095	
525, 535, 590, 590, 2012, 2014, 2015,	38	15					64E	158SLBK095	158PXBK095	158RNBK095	
2016, 2036, 2040, 2041, 2045, 2149,	40	16					66E	168SLGK095	168PXBK095	168RNBK095	
2050, 2063, 2051, 2054, 2055,	40	16					68E	34372			
2150, 2145, 2141, 2152, 2153,	45	18					72E	188SLGK095	188PXBK095	188RNBK095	
2255, 2156, 2163	50	20					78E	208SLGK095		208RNBK095	
2159, 2145, 2149, 2147	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095	
	38	15						64E	150MPBK095	150MLBK095	
	45	18						72E	180MPBK095	180MLBK095	
2063, 2163, 2159	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	50E	138SLDK095		138RNDK095
	38	15						56E	158SLHK095		158RNDK095
	40	16						60E	168SLHK095		168RNDK095
	45	18						64E	188SLHK095		188RNDK095
	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	38	15						64E	158SLBK095	158PXBK095	158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095	
	38	15						64E	150MPBK095	150MLBK095	
	45	18						72E	180MPBK095	180MLBK095	
625, 630, 630SUPER, 670, 670CHAMP, 2077, 2083, 2094, 2095, 2095, 2065, 2071, 2171, 2165, 2186 820/830* 920/930* (*with 9mm stud)	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	52E	138SLDD009		138RND009
	38	15						56E	158SLHD009	158SFH009	158RND009
	40	16						60E	168SLHD009	168SFHD009	168RND009
	43	17						64E	178SLHD009		178RND009
	45	18						68E	188SLHD009	188SFHD009	188RND009
	50	20						72E	208SLHD009	208SFHD009	208RND009
	55	22						76E			228RND009
	60	24						84E			248RND009
	65	26						89E			268RND009
	70	28						92E			288RND009
	75	30						102E			308RND009
	90	36	3/8	0.063	1,6	75LGX/LPX/D/DP	7	115E			363RND009
	53	21	.404	0.058	1,5	58L/26	7	68E			218ATMD009
	55	22	.404	0.063	1,6	59L/59AC/27/27P	7	68E			223ATMD009
	60	24						76E			243ATMD009
	90	36						104E			363RNF009
60, 62, 66, 70, 75, 77 80, 81, 90, 110, 111, 601, 621, 751, 801, 820, 830, 910E, 920, 930, 941	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD024	168SFHD024	
	45	18						68E	188SLHD024	188SFHD024	188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208RND024
	58	23						80E			
	63	25						88E			
	75	30						98E			308ATMD024
1020	40	15	3/8	0.058	1,5	73LGX/LPX/D/DP	7	56E	158SLHD010		

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 85

T* = INTENZ



www.oregonchain.eu





	cm	"	"	mm				SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
JONSERED® ./..												
	43	17						64E	178SLHD010			
	55	22						76E				
SAWMILL 2095+, SAWMILL 600+	40	16	91R	0.050	1,3	91R	8	60E				
	50	20						72E				
	40	16	95R	0.050	1,3	95R	8	67E				
	50	20						81E				
KING CRAFT												
All Models	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEA041		120SDEA041*▲
	35	14						52E	140SPEA041*	140SXEA041		140SDEA041*▲
	40	16						57E	160SPEA041*	160SXEA041		160SDEA041*
	45	18						62E				180SDEA041
KRESS®												
DUO-SAGE	25	10	91	0.050	1,3	91VG/91VX/91P	9	36E				
LANDONI												
771, 772	35	14	.325	0.050	1,3	20BPX/LPX	7	60E				
	40	16						64E				
	45	18						70E				
773, L20	40	16	3/8	0.050	1,3	72LGX/LPX/D/DP	7	58E				
	50	20						70E				
	60	24						80E				
LEROY SOMER												
TLS1412, TLS1530,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E				120SDEA089
TLS1614, TLS1616,	35	14						50E				140SDEA089
TLS1635, TLS1716	40	16						56E				160SDEA089
LOGOSOL												
3000, 3052, 0036 with Stihl® 064, 066, MS660, MS361	33	13	3/8R	0.063	1,6	75RD		52E			133RNDD025	
	38	15						56E	153SLHD025	153SFHD025	153RNDD025	153ATMD025
	40	16						60E	163SLHD025	163SFHD025	163RNDD025	163ATMD025
	45	18						66E	183SLHD025	183SFHD025	163RNDD025	163ATMD025
	50	20						72E	203SLHD025	203SFHD025	203RNDD025	203ATMD025
	60	24						84E			243RNDD025	243ATMD025
	70	28						91E			283RNDD025	
	75	30						98E				
	90	36						114E			363RNDD025	
3020 with Stihl® 084, 088, MS880	38	15	3/8R	0.063	1,6	75RD		58E				
	43	17						66E			173RNDE031	173ATLE031
	50	20						74E				
	53	21						75E			213RNDE031	213ATLE031
	63	25						86E				
	63	25						88E			253RNDE031	
LOMBARD												
AP-22, AP-24, LITTLELIGHTING, PONY	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E				
	30	12						45E				120SDEA064
	35	14						52E				140SDEA064
	40	16						55E	160SPEA064			160SDEA064
ALLSERIES, COMANGO, GLP SERIES, LIGHTING SERIES	40	16	3/8	0.050	1,3	72LGX/LPX/D/DP	7	60E	160SLHD176		160RNDD176	
	45	18						66E			180RNDD176	
	50	20						70E	200SLHD176		200RNDD176	
	60	24						81E				



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

www.oregonchain.eu

T* = INTENZ

A - 86



	cm	"	"	mm		SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
MAFELL										
BS300,	40	16	91	0.050	1,3	91VG/91VX/91P	6	57E	160SPEA041*	160SXE041
KSU330	35	14	.325	0.050	1,3	20BPX/LPX	7	61E		
ZS330, ZS200E,	35	14	3/8	0.050	1,3		7	54E		
EKS400,	38	15	.325	0.058	1,5	21BPX/LPX	7	64E	158SLGK095	158RNBK095
EKS400S	38	15	95	0.050	1,3	95VPX	7	64E	150MPBK095	150MLBK095
MAKITA®										
5011B, 5012B, 5014B,	30	12	1/4	0.050	1,3	25AP	9	66E		120SDAA041
5014NB, 5016B, 5016NB	35	14						76E		140SDAA041
AUC120DWAE	12	5	1/4	0.050	1,3	25AP	6	42E		
DCS 34, DCS330, 340, 341, 390, 400	30	12		0.043	1,1		6	46E		124MLEZ041*
401, 5012, 5014, 5016, 3500, UC3501,	35	14						52E		144MLEA041*
UC3020A, UC3520A, UC4020A	40	16						56E		164MLEZ041
DCS330S, DCS350, DCS3501, DCS390,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXE041
UC3501, UC3520A, BUC250RDE,										
BUC122RFE										
DCS400, DCS380, DCS300, DCS3410TH,	30	12						46E		120SDEZ041*
DCS232T, UC3030A,										
DCS340, DCS341, DCS401, DCS4610,	35	14						52E	140SPEA041*	140SXE041
UC3530AK										140SDEA041*
UC3000, UC3500, UC4000	40	16						56E		160SDEZ041*
UC3000, UC3500, UC4000, UC4030AK	40	16						56E		160SDEA041*
5012, 5014, 5016	40	16						57E	160SPEA041*	160SXE041
DCS 410, DCS411	33	13	.325	0.050	1,3	20BPX/LPX	7	56E		130MLBK041
DCS 4301	38	15						64E		150MLBK041
	45	18						72E		180MLBK041
DCS430, DCS431, DCS 520, DCS4300i,	33	13	.325	0.050	1,3	20BPX/LPX	7	56E	130MPBK095	130MLBK095
DCS5200i	38	15						64E	150MPBK095	150MLBK095
	45	18						72E	180MPBK095	180MLBK095
DCS430, DCS520,	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095	
DCS4300i, DCS5200i,	33	13						56E	138SLBK095	138PXBK095
DCS431, DCS520,	35	14						60E		138RNBK095
DCS43001, DCS431, 45	38	15						64E	158SLGK095	158RNBK095
	38	15						64E	158SLBK095	158PXBK095
	40	16						66E	168SLBK095	
	40	16						68E	34372	
	45	18						72E	188SLBK095	
	45	18						72E	188SLGK095	188PXBK095
	50	20						78E	208SLGK095	208RNBK095
DCS460, DSC500, DSC4600, DSC5030	38	15	3/8	0.058	1,5	73LGX/LPX/D/DP	7	56E	158SLHK153	158RNB083
	43	17						64E		178RNB083
	45	18						64E	188SLHK153	178ATMB083
	50	20						72E	208SLHK153	208RNB083
	53	21						72E		
DCS6000i, DCS520i, 540, 5200, 6000	38	15	3/8	0.058	1,5	73LGX/LPX/D/DP	7	56E		158RNB083
DCS 6800i	43	17						64E		178RNB083
	50	20						72E		208RNB083
	53	21						72E		
9000,	43	17	3/8	0.058	1,5	73LGX/LPX/D/DP	8	64E		
DCS9010	50	20						72E		208RND033
	58	23						80E		208ATMD033
DCS-6400, DCS-7300, DCS6401, DCS9000,	38	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD009	168SFHD009

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 87

T* = INTENZ



www.oregonchain.eu





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
MAKITA® /..											
DCS9010, DCS7301, DCS79001, DCS-7900	45	18					68E	188SLHD009	188SFHD009		188ATMD009
	50	20					72E	208SLHD009	208SFHD009		208ATMD009
	60	24					84E				248ATMD009
	70	28					92E				288ATMD009
MCCULLOCH® (Italy)											
Electramac 312, 314, 316, 330, 335 340, 414, 416, Mac 335, MacCat 436, 441, Mac 538e, 539e, Promac33	30	12	91	.050	1,3	91VG/91VX/91P	6	45E			120SDEA318*
	35	14						50E	140SPEA318*	140SXEA318	140SDEA318*▲
	40	16						56E	160SPEA318*	160SXEA318	160SDEA318*▲
	45	18						60E			180SDEA318*
Mac 542e, California, Mac 545e (intenz), Mac 5 Evolution(intenz), 2200E, 1900E	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E			120SDEA318*
	35	14						50E	140SPEA318*	140SXEA318	140SDEA318*▲
	40	16						55E	160SPEA318*	160SXEA318	160SDEA318*▲
	45	18						60E			180SDEA318*
ProMac 46 II	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095	
	38	15						64E	150MPBK095	150MLBK095	
	45	18						72E	180MPBK095	180MLBK095	
ProMac 54, 61, 72	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD024	168SFHD024	
	45	18						68E	188SLHD024	188SFHD024	188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208RNDD024 208ATMD024
MCCULLOCH®											
M1, M2, M2B, M4, M4B, M6, M6B	25	10	91	0.050	1,3	91VG/91VX/91P	6	38E			
	30	12						44E			
	35	14						50E			
	40	16						56E			
474, 484, 735, C180, CALIFORNIA/ARIZON, CALIFORNIA 90, EAGERBEAVER, MAC120, MAC130, MM30, MM35, PM36, PM310, PM320, 330, 340, PM360, PM364, PM370, PM380, PM470, PM480, PM510, PM400, PM6, PM730, EMAC1040, PM484, MAC940, DAY.900, MINI MAC (All Models), 3214/6, 3516/8, EB2.3, MacCat	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			120SDEA318*
	35	14						49E	140SPEA318*	140SXEA318	140SDEA318*▲
	35	14						50E			
	40	16						55E	160SPEA318*	160SXEA318	160SDEA318*▲
PM394, PM494, MAC 930, MAC935, Mac-Cat 839, 842, Electromac 1030, 1035, Mac120, 14A/S, EM16, 10, 12, 14, 16E	45	18						60E			
	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			120SDEA318*
	30	12						45E			
	35	14						50E	140SPEA318*	140SXEA318	140SDEA318*▲
ELECTRA MAC16E, 838, 839	40	16						56E	160SPEA318*	160SXEA318	160SDEA318*▲
	45	18						60E			180SDEA318
	40	16	91	0.050	1,3	91VG/91VX/91P	6	54E	160SPEA318*	160SXEA318	160SDEA318*
	35	14	.325	0.050	1,3	20BPX/LPX	7	55E			
3500, 400P, TITAN35, TITAN40, PM38, PM40, PM46, DAYTONA 1000	35	14						56E			
	40	16						64E			
	45	18						72E			
	35	14	91	0.050	1,3	91VG/91VX/91P	6	52E	140SPEA041*	140SXEA041	140SDEA041*▲
335, 435, 440, 441, 738	40	16						56E	160SPEA041*	160SXEA041	160SDEA041*▲
	40	16	.325	0.050	1,3	20BPX/LPX	7	66E	160SLGK095		160RNBK095
TITAN41, TITAN46, 4600, 4700, 4900, 5000, 10-49, 10-42 TIMBERBEAR 849	45	18						72E	180SLGK095		180ATMZ095
	30	12	3/8	0.050	1,3	72LGX/LPX/D/DP	7	50E			
1-10, 10-10, 2-10, 3-10, 4-10, 5-10, 55, 555, 6-10, 60, 610, 650, 655,	40	16						60E	160SLHD276		
	50	20						71E	200SLHD276		



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 88



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
MCCULLOCH® ./..											
7-10, 70, 700, 80, 800, 805, 850, DE50, SP60, SP81,	60	24					81E				
	70	28					92E				
	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E			
	50	20						71E			
850, DE50, SP60, SP81, TITAN50, TITAN57, 955, 1000, CP55, CP70, CP70L	60	24						81E			
	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	52E			
	38	15						56E			
	40	16						60E	168SLHD024	168SFHD024	
MAC950, MAC960, MAC 970, 300, 050, 006, PROMAC 51, PROMAC55, PROMAC60, PROMAC70	45	18						68E	188SLHD024	188SFHD024	188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208ATMD024
									208RNDD024		
MCCULLOCH® (JF)											
MS1215, MS1415, MS1425, MS1630, MS1640, MS1435, MS1645, MS1845J, MS1834N, MS1635AV	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E			120SDEA318*
	35	14						49E	140SPEA318*	140SXE318	140SDEA318*▲
	40	16						55E	160SPEA318*	160SXE318	160SDEA318*▲
	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA095		120SDEA095*
	35	14						49E			
	35	14						52E	140SPEA095*		140SDEA095*▲
	40	16						54E			
	40	16						56E	160SPEA095*		160SDEA095*▲
	45	18						60E			180SDEA095
	40	16	.325	0.050	1,3	20BPX/LPX	7	66E	160SLBK095		
	45	18						72E	180SLBK095	180RNBK095	
	50	20						78E	200SLBK095		
METABO®											
Kt 1441	35	16	91	0.050	1,3	91VG/91VX/91P	6	57E	160SPEA095*		160SDEA095*
Kt 1530	33	13	.325	0.058	1,5	21BPX/LPX	8	56E	138SLBK095	138PXBK095	
	38	15						64E	158SLBK095	158PXBK095	
5338	30	12	1/4	0.050	1,3	25AP	8	64E			
	35	14						72E			
	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E	120SPEA074*	120SXE074	120SDEA074*▲
	35	14						50E	140SPEA074*	140SXE074	140SDEA074*▲
1440	40	16						55E	160SPEA074*	160SXE074	160SDEA074*▲
	40	16	91	0.050	1,3	91VG/91VX/91P	6	58E			
MONDIAL											
V5, V6, V6SUPER	28	11	.325	0.058	1,5	21BPX/LPX	8	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095	208RNBK095	
NAUTAC											
135, 140, 144, 232, 236	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			
	35	14						49E			140SDEA111
	40	16						56E			160SDEA129
244, 246, 252	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
NAUTAC ./..											
	40	16					66E	168SLGK095	168PXBK095	168RNDK095	
	40	16					68E	34372			
	45	18					72E	188SLGK095	188PXBK095	188RNBK095	
	50	20					78E	208SLGK095		208RNBK095	
149, 155, 170, 256, 256I	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD024	168SFHD024	
	45	18						68E	188SLHD024	188SFHD024	188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208ATMD024
	58	23						80E			
	63	25						88E			
	75	30						98E			308ATMD024
	40	16	.404	0.058	1,5	58L/26	7	55E			
	45	18						62E			188ATMD024
	50	20						66E			208ATMD024
	58	23						73E			
OLEO-MAC-OLYMPIC®											
EP100 Pole Pruner E1500 931, 932 GS35, GS350	25	10	90	0.043	1,1	90SG	6	39E			104MLEA318
	30	12	90	0.043	1,1	90SG	6	45E			
	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEA041	120SDEA041*▲
	35	14						53E	140SPEA041*	140SXEA041	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXEA041	160SDEA041*
233, 234, 244, 240, 241, 335, 340, 930, 935DX 935X, 936, 940, E140F, E160F, E1700, E1900, E1500, 300	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			
	35	14						49E			140SDEA111
	40	16						56E			160SDEA129
OM-E200	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA074*	120SXEA074	120SDEA074*▲
	35	14						50E	140SPEA074*	140SXEA074	140SDEA074*▲
	40	16						56E	160SPEA074*	160SXEA074	160SDEA074*▲
240	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA074*	120SXEA074	120SDEA074*▲
	35	14						50E	140SPEA074*	140SXEA074	140SDEA074*▲
	40	16						56E	160SPEA074*	160SXEA074	160SDEA074*▲
	30	12	.325	0.050	1,3	20BPX/LPX	8	51E			
	35	14						57E			
	40	16						64E			
E170, E170F	30	12	.325	0.050	1,3	20BPX/LPX	8	51E			
	35	14						57E			
	40	16						64E			
937, 938, 941, GS44	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095	
	38	15						64E	150MPBK095	150MLBK095	
	40	16						66E	160MPBK095	160MLBK095	
	45	18						72E	180MPBK095	180MLBK095	
940C	33	13	95	0.050	1,3	95VPX	7	56E			130MLBK041
	40	16						66E			160MLBK041
938, 942, 941 945, 950, 946, 950SUPER, 947, 956, 962, 950A, 951, E300 F	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
962, 956	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHK095	168RNDK095	168ATMK095



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 90



	cm	"	"	mm				SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
OLEO-MAC-OLYMPIC® ./..												
	45	18						68E	39450		188RNDK095	188ATMK095
	50	20						72E	208SLHK095		208RNDK095	208ATMK095
	55	22						77E				
	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095			
	33	13						56E	138SLBK095	138PXBK095	138RNBK095	
	35	14						60E				
	38	15						64E	158SLGK095		158RNBK095	
	40	16						66E	168SLGK095	168PXBK095	168RNBK095	
	40	16						68E	34372			
	45	18						72E	188SLGK095	188PXBK095	188RNBK095	
	50	20						78E	208SLGK095		208RNBK095	
250A, 251, 251SUPER, 251B, 252, 254, 261, 264, 271, 272, 284, 350, 350SUPER, 355, 460, 480, 481, 482, 484, E300, OM-E300	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD024	168SFHD024		
	45	18						68E	188SLHD024	188SFHD024		188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208RND024	208ATMD024
	58	23						80E				
	63	25						88E				
	75	30						98E				308ATMD024
970, 980, 971, 981	40	16	.404	0.058	1,5	58L/26	7	55E				
	45	18						62E				188ATMD024
	50	20						66E				208ATMD024
	58	23						73E				
	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD024	168SFHD024		
	45	18						68E	188SLHD024	188SFHD024		188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208RND024	208ATMD024
	58	23						80E				
	63	25						88E				
	75	30						98E				308ATMD024
999, 999F, 985	43	17	.404	0.063	1,6	59L/59AC/27/27P	7	60E			173RNF031	173ATLE031
	53	21						68E			213RNF031	213ATME031
	63	25						80E				
	75	30						92E				
	90	36						108E				
	104	41						123E				
OPEM												
130Z, 140Z, 142Z	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXE041		120SDEA041*▲
	35	14						52E	140SPEA041*	140SXE041		140SDEA041*▲
	40	16						57E	160SPEA041*	160SXE041		160SDEA041*
K1, K2, K3, K2SUPER	28	11	.325	0.058	1,5	21BPX/LPX	8	52E	118SLBK095			
	33	13						56E	138SLBK095	138PXBK095	138RNBK095	
	35	14						60E				
	38	15						64E	158SLGK095		158RNBK095	
	40	16						66E	168SLGK095	168PXBK095	168RNBK095	
	40	16						68E	34372			
	45	18						72E	188SLGK095	188PXBK095	188RNBK095	
	50	20						78E	208SLGK095		208RNBK095	
K3	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	59E				
	45	18						64E	188SLHK095		188RNDZ095	
	45	18						68E	39450		188RNDK095	188ATMK095
145, 150, 155, 157, 157SUPER, 165	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD025			
	43	17						64E	178SLHD025			

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 91

T* = INTENZ



www.oregonchain.eu





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
OPEM ./..											
	48	19					68E	198SLHD025			
PARMA											
All Models,	40	16	3/8	0.063	1,6	75LGX/LPX/D/DP	62E				
	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	62E	168SLHD009	168SFHD009		
PARTNER® (Italy)											
P1535, 1540, 1640, 1835, 1840	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E		120SDEA318*	120SDEA318*
P351, 352, 371, 391, 538E, 542E	35	14						50E	140SXEA318	140SDEA318*	140SDEA318*▲
	40	16						56E	160SXEA318	160SDEA318*	160SDEA318*▲
	45	18						60E		180SDEA318	180SDEA318
P411, 462, 511, 543, 461	33	13	95	0.050	1,3	95VPX	7	56E	130MLBK095		
	38	15						64E	150MLBK095		
	45	18						72E	180MLBK095		
P541	40	16	3/8	0.050	1,3	72LGX/LPX/D/DP	7	60E	168SFHD024		
	45	18						68E	188SFHD024	188ATMD024	
	50	20						72E	208SFHD024	208RNDD024	208ATMD024
PARTNER®											
1436, 1641	35	14	90	0.043	1,1	90SG	6	52E		144MLEA041	144MLEA041
	40	16						56E		164MLEA041	164MLEA041
1535EL, 1540EL	35	14	91	0.050	1,3	91VG/91VX/91P	6	50E	140SXEA318	140SDEA318*	140SDEA318*▲
	40	16						54E	160SXEA318	160SDEA318*	160SDEA318*▲
1601, 1602, 1612, 1613, 1614, 1616, 1618	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E		120SDEA064	120SDEA064
	35	14						52E		140SDEA064	140SDEA064
	40	16						56E		160SDEA064	160SDEA064
330, 335, 340, 345, 360, 365, 385, 395, 351, 370, P 390, P 420, 350	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SXEA041	120SDEA041*	120SDEA041*▲
	35	14						52E	140SXEA041	140SDEA041*	140SDEA041*▲
	40	16						56E	160SXEA041	160SDEA041*	160SDEA041*▲
	45	18						62E		180SDEA041	180SDEA041
1550, 185	35	14	91	0.050	1,3	91VG/91VX/91P	6	52E		140SDEA095*	140SDEA095*▲
EL1450, EL1650, 400, 410, 460, 360, 450, 500, 5000	33	13	95	0.050	1,3	95VPX	7	56E	130MLBK095		
	38	15						64E	150MLBK095		
	45	18						72E	180MLBK095		
405, 450, 470, 510, 540	28	11	.325	0.058	1,5	21BPX/LPX	7	52E			
360, 365, 400, 405, 450, 465, 495, 510, 540, 500, 545, MINIFARMERSAW, P500, P5000, P5500, 1200EL, 1400EL, 1450, 1500EL, 1650, 410, 460, 510	33	13						56E	138PXBK095	138RNBK095	
	35	14						60E			
	38	15						64E		158RNBK095	
	38	15						64E	158PXBK095	158RNBK095	
	40	16						66E	168PXBK095	168RNBK095	
	40	16						68E			
	45	18						72E	188PXBK095	188RNBK095	
	50	20						78E		208RNBK095	
550, 605	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	50E			
	38	15						56E			
650, 7000, F65, P100, P55, P65, P70, R16, R17, R18, R19, R20, R21, R22, R40, R417, R418, R420, R421, R422, R435, R440, R522, R523, S50, S55, S65	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	52E			
	38	15						56E			
	40	16						60E		168RNDD010	
	43	17						64E			
	50	20						72E			
	55	22						76E			
660, P7700, 710	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SFHD009	168RNDD009	168ATMD009
	45	18						68E	188SFHD009	188RNDD009	188ATMD009



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 92



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
PARTNER® /..											
	50	20					72E	208SFHD009	208RNDD009	208ATMD009	
	55	22					77E		228RNDD009		
	60	24					84E		248RNDD009	248ATMD009	
	65	26					89E		268RNDD009		
	70	28					92E		288RNDD009	288ATMD009	
	90	36	3/8	0.063	1,6	75LGX/LPX/D/DP	7	115E	363RNDD009		
P100, P85, R40, R435, R440	55	22	.404	0.063	1,6	59L/59AC/27/27P	7	69E			
	65	26						80E			
PEUGEOT® / FOE											
TLS1630, TLS1635, TLS1640, TRC 1640, TRC1635, TRC1630	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E			120SDEA089
	35	14						50E			140SDEA089
	40	16						56E			160SDEA089
PIONEER											
P10, P11, P12, P12S	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E			120SDEA064
	35	14						52E			140SDEA064
	40	16						56E	160SPEA064		160SDEA064
1072, 1073, 1074, 970, P21, P25, P26, P28, P28S	33	13	.325	0.058	1,5	21BPX/LPX	8	56E	138SLBK095	138PXBK095	138RNBK095
	35	14						61E			
	38	15						64E	158SLGK095		158RNBK095
	38	15						64E	158SLBK095	158PXBK095	158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
FARMLITE, FARMSAWII, FARMSAW-S, P25, P38SS, P40, P41, P41S, P42HP, P42S, P50, P51, P51S, P52S, P60, P61, P61S, P62S	35	14	3/8	0.058	1,5	73LGX/LPX/D/DP	7	53E			
	40	16						61E			
	45	18						68E			
	50	20						72E		208RNDD007	
	60	24						84E			
1110, 1200, 1200A, 1400, 1700, 1800, 2270, 2400, 3071, 3200, 3270AUTO, 3280AUTO, 400, 540, 600 620, 650, 700, P20NU17 P50CP, P51S, P60,	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	62E			
	50	20						70E			
	60	24						79E			
	70	28						92E			
	50	20	.404	0.058	1,5	58L/26	7	64E			
P61, P61S	60	24						72E			
	70	28						84E			
	90	36						100E			
POULAN®											
ES300	35	14	90	0.043	1,1	90SG	6	52E			144MLEA041
	40	16						56E			164MLEA041
1800, 2000, 2300AV, 2300CVA, 25A, P3314, P3314WS, PLN1514, 1420, 1630	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEA041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXEA041	160SDEA041*
MICRO25, S25CVA, S25D, S25DA, P600, P3416, P4018WT, PLN3516F, ES350											
1400E	35	14	91	0.050	1,3	91VG/91VX/91P	6	52E			
200SERIES,	33	13	.325	0.058	1,5	21BPX/LPX	7	56E			
300SERIES, 306, 3400, 445, 446, 450, 360, 361, 3700, 3800, 395, 3900, 4400, 400SERIES, 4000, 4200,	33	13	3/8	0.050	1,3	72LGX/LPX/D/DP	7	52E			
	40	16						60E	160SLHD176	160RNDD176	160ATMD176
	50	20						70E	200SLHD176	200RNDD176	200ATMD176

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 93

T* = INTENZ



www.oregonchain.eu





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
POULAN® ./..											
4400, 4900, 5200, 5400, 6700	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	52E			
415, 425, 445, 475, 505	33	13	3/8	0.058	1,5	75LGX/LPX/D/DP	7	52E	138SLHD009		138RNDD009
	33	13						52E	138SLDD009		138RNDD009
	38	15						56E	158SLHD009	158SFH009	158RNDD009
	40	16						60E	168SLHD009	168SFHD009	168RNDD009
	43	17						64E	178SLHD009		178RNDD009
	45	18						68E	188SLHD009	188SFHD009	188RNDD009
	50	20						72E	208SLHD009	208SFHD009	208RNDD009
	55	22						76E			228RNDD009
	60	24						84E			248RNDD009
	65	26						89E			268RNDD009
	70	28						92E			288RNDD009
	75	30						102E			308RNDD009
5500, 6000	43	17	.404	0.063	1,6	59L/59AC/27/27P	7	61E			173ATMD033
	53	21						70E			
POWER PRUNER®											
PP600,	20	8	91	0.050	1,3	91VG/91VX/91P	6	33E			
PP800, PP1000, PP1250	26	10						39E			100SDEA218
	30	12						44E			120SDEA218*
PP1000, PP1200, PP1250, PP1260, PP1400PS	26	10	90	0.043	1,1	90SG	6	39E			
	30	12						44E			
PREC											
300	35	14	3/8	.050	1,3	72LGX/LPX/D/DP		52E	140SPEA318*	140SXE318	140SDEA318*
PS											
180190	45	18	.404	0.063	1,6	59L/59AC/27/27P	7	60E		183RNDD029	
QUADRA											
FRONTIER	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E			120SDEA064
	35	14						52E			140SDEA064
	40	16						56E	160SPEA064		160SDEA064
RELEX											
R51AVB, R61AVB	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD024	168SFHD024	
	45	18						68E	188SLHD024	188SFHD024	188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208RNDD024
REMINGTON®											
LIMBN'TRIM,	20	8	3/8	0.050	1,3	72LGX/LPX/D/DP	7	48E			
MIGHTYMITE,	25	10						56E			
MIGHTYMITEELEC	30	12						64E			
	35	14						72E			
FASTSHARP, 860AV,	20	8	91	0.050	1,3	91VG/91VX/91P	6	34E			
CUTTER, EL6DELUXE,	25	10						40E			
ELECTRICPOWER,	30	12						45E			
LIMBN'TRIM	35	14						50E			
	40	16						56E			
100, 200, 300, 400,	25	10	91	0.050	1,3	91VG/91VX/91P	6	39E			100SDEA218
500, 812, 814, 816,	30	12						44E			120SDEA218*
816AV, 840AV, 850AV	35	14						49E	140SPEA218*		140SDEA218*
	40	16						54E	160SPEA218*		160SDEA218*
YARDMASTER, E1450,	25	10	91	0.050	1,3	91VG/91VX/91P	6	40E			
EL6STANDARD, EL6SUPER	30	12						45E			120SDEA089
	35	14						50E			140SDEA089



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 94



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
REMINGTON® ./..											
	40	16					56E				160SDEA089
PL4, PL5, PL55, PL55A, PL5A, PL6, PL6A, PL7, PL7A, SL10, SL10A, SL11A, SL4, SL9, SL9A, SL-14, SL-16	40	16	3/8	0.050	1,3	72LGX/LPX/D/DP	7	60E	160GLHD196	160RNDD196	160ATMD196
	45	18						68E			
	50	20						70E	200GLHD196	200RNDD196	200ATMD196
	66	26						85E			
	45	18	.404	0.058	1,5	58L/26	7	62E			
	53	21						72E			
	60	24						79E			
	75	30						92E			
RYOBI®											
PCN 3335 APR02	25	10	91	0.050	1,3	91VG/91VX/91P	6	40E			100SDEA041
	30	12						45E	120SPEA041*	120SXE041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXE041	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXE041	160SDEA041*
PCN 4040	40	16						66E	160SLGK041	160RNBK041	
	45	18						72E	180SLGK041	180RNBK041	
35B, CS36C, CS41, CSE3330, CSE385CB, HC31, HC36, HC41, HCS31, HCS36 CS-1530, CS-1535, CS-1540	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			120SDEA218*
	35	14						49E	140SPEA218*		140SDEA218*
	40	16						55E	160SPEA218*		160SDEA218*
CSE5145, CSE5650	40	16	.325	0.058	1,5	21BPX/LPX	7	68E		168RNBK041	
	45	18						72E	188SLGK041	188PXBK041	
	50	20						80E		208RNBK041	
CSN 410,	40	16	91	0.050	1,3	91VG/91VX/91P	6	56E			
SABRE											
SABRE 31, 33, 205, 3350B, S35	30	12	91	0.050	1,3	91VG/91VX/91P	6	48E	120GPEA061*		120DGEA061*
	30	12						49E			
	35	14						52E	140GPEA061*		
	35	14						53E			140DGEA061*
	40	16						59E	160GPEA061*		160DGEA061*
SAUER											
ZKS2033, ZKS33	35	14	.325	0.050	1,3	20BPX/LPX	7	61E			
	35	14	3/8	0.050	1,3	72LGX/LPX/D/DP	7	54E			
SHARK											
PL2, PL4	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			120SDEA218*
	38	15						49E	140SPEA218*		140SDEA218*
	40	16						55E	160SPEA218*		160SDEA218*
SHINDAIWA® / SDK / ISEKI											
P230, P231	20	8	90	0.043	1,1	90SG	6	33E			
	25	10						39E			104MLEA318
	30	12						44E			
305AVZ, E305	35	14	1/4	0.050	1,3	25AP	8	76E			140SDAA041
	40	16						86E			
A090B, A100C, A102, A103, A104P, A105B, A107, A110, A110P, A113, A113L, A113P, A117P, 120, 140, A150B, 150E, 160, A180, 285S, 300S, 305, 340, 345, 346, 350, 352, 352S 355, 357, 360, EYB120, EYB150, EYB180, YB291, YB301, YB391, YB395, YB401, YB491	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXE041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXE041	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXE041	160SDEA041*
360, 366, 377, 400, 415, 416, 420, 446S, 450, 451, 488, 490	33	13	.325	0.050	1,3	20BPX/LPX	7	56E			
	40	16						66E	160SLGK041	160RNBK041	

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 95

T* = INTENZ



www.oregonchain.eu





	cm	"	"	mm				SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
SHINDAIWA® / SDK / ISEKI ./..												
500, 510, 560, 580, A180B,	45	18					72E	180SLGK041		180RNBK041		
YB501, YB601, YB701,	28	11	.325	0.058	1,5	21BPX/LPX	7	52E				
YB495, YB691, YB377	33	13						56E	138SLBK041	138PXBK041		
	35	14						60E				
	38	15						64E	158SLBK041	158PXBK041		
	40	16						66E	168SLGK041	168PXBK041	168RNBK041	
	45	18						72E	188SLGK041	188PXBK041		
550, 575, 577, 680, 695, 757, 757C	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD009	168SFHD009	168RNDD009	168ATMD009
YB801, YB901,	43	17						64E	178SLHD009		178RNDD009	178ATMD009
YB1091	45	18						68E			188RNDD009	188ATMD009
	50	20						72E			208RNDD009	208ATMD009
SHINGU												
SP3200T, SP3200,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXE041		120SDEA041*▲
SP3400	35	14						52E	140SPEA041*	140SXE041		140SDEA041*▲
	40	16						57E	160SPEA041*	160SXE041		160SDEA041*
SP4000	40	16	.325	0.050	1,3	20BPX/LPX	7	66E	160SLGK041		160RNBK041	
	45	18						72E	180SLGK041		180RNBK041	
SKIL®												
1600HE, 1601HE,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E				120SDEA064
1602HE, 1610U, 1612U,	35	14						52E				140SDEA064
1616U, 1712U	40	16						56E	160SPEA064			160SDEA064
1620U, 1634U, 1636U	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXE041		120SDEA041*▲
	35	14						52E	140SPEA041*	140SXE041		140SDEA041*▲
	40	16						57E	160SPEA041*	160SXE041		160SDEA041*
1603H, 1604H	35	14	91	0.050	1,3	91VG/91VX/91P	6	52E				
SOLO®												
613	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXE041		120SDEA041*▲
	35	14						52E	140SPEA041*	140SXE041		140SDEA041*▲
	40	16						57E	160SPEA041*	160SXE041		160SDEA041*
614, 630, 633, 635, 636, 637, 640, 642	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA095			120SDEA095
	35	14						52E	140SPEA095*			140SDEA095*▲
	40	16						56E	160SPEA095*			160SDEA095*▲
	45	18						60E				180SDEA095
636	30	12	90	0.043	1,1	90SG	7	45E				
	35	14						52E				144MLEA095
MULTI-MOT	25	10	1/4	0.050	1,3	25AP	8	58E				
	30	12						68E				
600, 605VA, 606VA,	30	12	91	0.050	1,3	91VG/91VX/91P	6	47E				
631, 632, 634, 638, 641,	35	14						53E				
FARMER31, FARMER32, FARMER38	40	16						58E				
614E	40	16	91	0.050	1,3	91VG/91VX/91P	7	57E				
610, 611VA, 615, 616VA,	40	16	.325	0.050	1,3	20BPX/LPX	7	67E				
FARMER11, FARMER16	45	18						73E				
639, 641, 644, 650,	33	13	.325	0.058	1,5	21BPX/LPX	7	57E	138SLBK095	138PXBK095	138RNBK095	
645, 647, 651, 654	35	14						61E				
	38	15						65E	158SLGK095		158RNBK095	
	40	16						67E	168SLGK095	168PXBK095	168RNBK095	
	40	16						68E	34372			
	45	18						73E	188SLGK095	188PXBK095	188RNBK095	
662, 667, 670, 680,	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	52E	138SLHD009		138RNDD009	



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 96



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
SOLO® ./..											
690, 694	38	15					56E	158SLHD009	158SFH009	158RNDD009	158ATMD009
	40	16					60E	168SLHD009	168SFHD009	168RNDD009	168ATMD009
	43	17					64E	178SLHD009		178RNDD009	178ATMD009
	45	18					68E	188SLHD009	188SFHD009	188RNDD009	188ATMD009
	50	20					72E	208SLHD009	208SFHD009	208RNDD009	208ATMD009
	55	22					76E			228RNDD009	
	60	24					84E			248RNDD009	248ATMD009
	65	26					89E			268RNDD009	
	70	28					92E			288RNDD009	288ATMD009
603, 609	60	24	.404	0.063	1,6	59L/59AC/27/27P	7	76E			243ATMD009
	70	28						84E			
	80	32						95E			
	90	36						108E			
635,642	43	17	.404	0.063	1,6	59L/59AC/27/27P	7	63E			
	53	21						72E			
	63	25						82E			
620, 640, 645, 650, 655, 660, 70, SOLOREX	40	16	3/8	0.050	1,3	72LGX/LPX/D/DP	8	60E			
	50	20						71E			
STANLEY®											
CS04, CS07, CS23	30	12	91	0.050	1,3	91VG/91VX/91P	8	41E			
	35	14						52E			140SDEA041*
	45	18						60E			
CS05, CS06	38	15	.325	0.058	1,5	21BPX/LPX	7	64E	158SLBK095	158PXBK095	
STEINMAX											
CS300, CS360	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			120SDEA218*
	35	14						49E	140SPEA218*		140SDEA218*
	40	16						55E	160SPEA218*	160SXE318	160SDEA218*
G320AVS, G380AVS	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXE041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXE041	140SDEA041*▲
STIHL®											
HT70, HT75, HT100, HT101, 017, 019T, MS190, E140, 023L, MSE140, MSE160, MS170, MS171, MSE180, MS181, MS191T, MS192	30	12	90	0.043	1,1	90SG	6	44E			124MLEA074
	35	14						50E			144MLEA074
009, 010, 011, 018, 019, 019T, 020, 020T, 021, 023, 025, E10, E14, E160, E180, MSE200, MS241, MS200T, MS180, MS191, MS170, MS210, MS211, MS230, MSE140, MS160, MS250, MS180, MS192	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E	120SPEA074	120SXE074	120SDEA074*▲
	35	14						50E	140SPEA074*	140SXE074	140SDEA074*▲
	40	16						55E	160SPEA074*	160SXE074	160SDEA074*▲
MS240, MS260, MS261, E160, E180, 024, 026, 028, 029, 030, 031, 032, 034, 036, 039, MS270, MS271 MS280, MS291, MS290, MS360, MS361, MS390, MS391, MS200	33	13	95	0.050	1,3	95VPX	7	56E	130MPBD025		
	38	15						62E	150MPGD025		
	40	16						67E	160MPGD025		
25, 012, MS230, MS231 MS250, MS251	45	18						74E	180MPGD025		
	40	16	.325	0.063	1,6	22BPX/LPX	7	62E	163SLBA074		
024, 026, 028, 029, 030, 031, 032, 034, 036, 039, MS240, MS260, MS270,								68E	183SLBA074		
	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBD025		
	33	13	.325	0.063	1,6	22BPX/LPX	7	56E	133SLBD025		
	38	15						62E	153SLGD025	153SFGD025	153RNBD025

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
STIHL® ./..											
MS280, MS290, MS360, MS361, MS390, MS200, MS36E	40	16					67E	163SLGD025	163SFGD025	163RNBD025	163ATMD025
	45	18					74E	183SLGD025	183SFGD025	183RNBD025	183ATMD025
	50	20					81E	203SLGD025			203ATMD025
029, 031, 032, 034, 036, 038, 039, 041, 042, 044, 045, 046, 048, 056, 064, 066, E15, E20, E220, MS290, MS310, MS311, MS390, MS200, MS220, MS340, MS341, MS360, MS361, MS362 MS361, MS440, MS441, MS460, MS640, MS650, MS660, MS880	33	13	3/8	0.063	1,6	75LGX/LPX/D/DP	7	52E			
	38	15						56E	153SLHD025	153SFHD025	153RNDD025
	40	16						60E	163SLHD025	163SFHD025	163RNDD025
	45	18						66E	183SLHD025	183SFHD025	183RNDD025
	50	20						72E	203SLHD025	203SFHD025	203RNDD025
											203ATMD025
	55	22						77E			223RNDD025
	60	24						84E	243SLHD025		243RNDD025
075, 08, 08S, 050, 051, 075, 076, 084, 088, E30, MS880	70	28						91E			283RNDD025
	90	36						114E			363RNDD025
	35	14	3/8	0.063	1,6	75LGX/LPX/D/DP	7	58E			
	43	17						66E			173RNDE031
	53	21						75E			213RNDE031
	63	25						88E			253RNDE031
	43	17	.404	0.063	1,6	59L/59AC/27/27P	7	60E			173RNFE031
	53	21						68E			213RNFE031
	63	25						80E			253RNFE031
	43	17						60E			173RNFE031
	53	21						68E			213RNFE031
	63	25						80E			253RNFE031
070, 090	75	30						91E			
	90	36						104E			
	43	17	.404	0.063	1,6	59L/59AC/27/27P	7	64E			
	53	21						72E			213ATLE086
	63	25						84E			253ATLE099
	75	30						92E			303ATLE099
STIGA®											
930, 935, 1400	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			120SDEA218*
	30	12						45E			
	35	14						50E	140SPEA218*		140SDEA218*
940	35	14	.325	0.050	1,3	20BPX/LPX	7	55E			
	35	14						56E			
955	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E			
SE1.6, SE1.8	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			
	35	14						50E			
	40	16						55E			
	40	16						56E			
SP340	30	12	91	0.050	1,3	91VG/91VX/91P	7	44E			
	35	14						50E			
	40	16						56E			
SP370, SP410	33	13	95	0.050	1,3	95VPX	7	56E			130MLBS165
	40	16						64E			160MLBS165
SP460, SP510	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK095	138PXBK095	
	35	14						61E			
	40	16						66E	168SLBK095		



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 98



	cm	"	"	mm				SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
STIGA® ./..												
	45	18						72E	188SLBK095		188RNBK095	
	50	20						78E				
TALON												
AC2108, AC2109, AC2101, AC2105,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E				120SDEA318*
AC2111,	35	14						49E	140SPEA318*	140SXEA318		140SDEA318*
AC3100	40	16						55E	160SPEA318*	160SXEA318		160SDEA318*
AC3100	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA095			120SDEA095*
	35	14						49E				
	35	14						52E	140SPEA095*			140SDEA095*▲
	40	16						54E				
	40	16						56E	160SPEA095*			160SDEA095*▲
	45	18						60E				
AC3102	40	16	.325	0.050	1,3	20BPX/LPX	7	66E	160SLBK095		180RNBK095	
	45	18						72E	180SLBK095			
	50	20						78E	200SLBK095			
TAS TANAKA®												
290, 300, ECS330,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEA041		120SDEA041*▲
ECS3500, ECS360, ECS320,	35	14						52E	140SPEA041*	140SXEA041		140SDEA041*▲
ECS 3301, ECS3351	40	16						57E	160SPEA041*	160SXEA041		160SDEA041*
ECS4000, ECV-4501	28	11	.325	0.058	1,5	21BPX/LPX	7	52E				
	33	13						56E	138SLBK041	138PXBK041		
	35	14						60E				
	38	15						64E	158SLBK041	158PXBK041		
	40	16						66E	168SLGK041	168PXBK041		
	40	16						68E				
	45	18						72E	188SLGK041	188PXBK041		
	50	20						80E				
650, ECS506, 655	33	13	3/8	0.050	1,3	72LGX/LPX/D/DP	7	52E				
	40	16						60E	160SLHD176		160RND176	
	45	18						64E	180SLHD176			
	45	18						66E			180RND176	
	50	20						70E	200SLHD176		200RND176	
TAIGA												
All Models	43	17	3/8	.063	1,6	75LGX/LPX/D/DP		64E				
	43	17	3/8	.058	1,5	73LGX/LPX/D/DP		64E	178SLHD010			
TOPSO												
E500AV, E510AVB,	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	52E				
E600AV, E601AV,	38	15						56E				
E610AVB, E611AVB,	40	16						60E	168SLDD024			
E700AV, E710AVB	45	18						68E	188SLHD024	188SFHD024	188ATMD024	
	50	20						72E	208SLHD024	208SFHD024	208RND024	208ATMD024
URAL												
All models	50	20	.404	0.063	1,6	59L/59AC/27/27P	7	64E	203SLFM015		203RNF015	
VAP												
1400, 35F, 38, 40F,	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E				
44F, 52F, 530, 534,	35	14						49E				140SDEA111
535, 538, 60F,	40	16						56E				160SDEA129
14F, 542, 68F	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095			
	33	13						56E	138SLBK095	138PXBK095	138RNBK095	
	35	14						60E				

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 99

T* = INTENZ



www.oregonchain.eu





	cm	"	"	mm				SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
VAP ./..												
	38	15						64E	158SLGK095		158RNBK095	
	40	16						66E	168SLGK095	168PXBK095	168RNBK095	
	40	16						68E	34372			
	45	18						72E	188SLGK095	188PXBK095	188RNBK095	
	50	20						78E	208SLGK095		208RNBK095	
49, 50E, 549, 55, 553, 553S, 555, 570, 65F, 69E, 70, 72F, 72FS, 82F, 90F	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD024	168SFHD024		
	45	18						68E	188SLHD024	188SFHD024		188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208RND024	208ATMD024
	58	23						80E				
	63	25						88E				
	75	30						98E				308ATMD024
	40	16	.404	0.058	1,5	58L/26	7	55E				
	45	18						62E				188ATMD024
	50	20						66E				208ATMD024
	58	23						73E				
WEN®												
All Models	30	12	91	0.050	1,3	91VGX/91VX	6	47E				
	35	14						53E				
ZENOAH®												
G2500PS G2000T	30	12	1/4	0.050	1,3	25AP	9	66E				120SDAA041
GT250-10, GT310-12, GT310-14, G2500T, G3200T, GZ3500T	25	10	91	0.050	1,3	91VG/91VX/91P	6	40E				100SDEA041
G300T, G310TS,	30	12						45E	120SPEA041*	120SXEA041		120SDEA041*▲
G320 AVS,	35	14						52E	140SPEA041*	140SXEA041		140SDEA041*▲
G3800AVS-14, G3800AVS-16, G250TS, G3100, G3200, G3800, G3300,	40	16						56E	160SPEA041*	160SXEA041		160SDEA041*▲
G380AVS	40	16						58E				
G415AVS-16, GZ4000, GZ4500	30	12	.325	0.058	1,5	21BPX/LPX	7	54E				
	33	13						56E	138SLBK041	138PXBK041		
	35	14						60E				
	38	15						64E	158SLBK041	158PXBK041		
	40	16						66E	168SLGK041	168PXBK041		
G410AVS, G455AVS, G500AVS, G38, G46, G5000, G5300 G415AVS, G455AVS, G500AVS	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK095	138PXBK095		
	35	14						60E				
	38	15						64E	158SLBK095	158PXBK095	158RNBK095	
	38	15						64E	158SLGK095		158RNBK095	
	40	16						66E	168SLGK095	168PXBK095	168RNBK095	
	45	18						72E	188SLGK095	188PXBK095	188RNBK095	
	50	20						81E				
	50	20						78E	208SLGK095		208RNBK095	
G561AVS, G621AVS	40	16	.325	0.058	1,5	21BPX/LPX	7	66E				
	45	18						72E	188SLGD176			
	50	20						81E				
G621AVS, G6200, G7700	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	52E				
	40	16						60E				
	45	18						64E	188SLHD176			
	50	20						70E	208SLHD176			
	50	20						72E			8873D	






OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 100



.325

Small 7

7

11892

Small 7

8

11891

Std 7

9

13624

3/8

Small 7

7

18720

Std 7

7

68210

Std 7

8

22273

Std 7

7

22270

Std 7

8


13313

Std 6

8

14031

.404



* = PRO AM

X = NO BEARING

ALPINA CASTOR

330	3/8		6			28005	28033
380, CX40, EURO	3/8		6			103218X	
P34, 360, 370, 390	3/8		6			104102X	
400, 450, 500	325		7			111185X	37507
A40E, PROF41, PROF45	325	SMALL7	7	11892	38505X		11893

CUB CADET®

CS5018, CS5220	325	SMALL7	7	11892	111178X		31153
----------------	-----	--------	---	-------	---------	--	-------

BERNARD

BM230.0, BM230.1, BM236.3	3/8		6			28004	35184
BM441.3	3/8		6			28006	28031
BM651.3	3/8	STD7	7	68210	28187X		11893

DANARM

55, 55AUTO, Frontier 5R	3/8	STD7	7	68210	68209X		11893
-------------------------	-----	------	---	-------	--------	--	-------

DOLMAR®

290E	3/8		6			28001	21940
101	3/8		6			28004	35184
PS34, PS3410	3/8		6			112130	22152
PS400, 401, 33, 340, 341, 342, 344	3/8		6			112135	21940
109 110 111 115, PS5105	325	SMALL7	8	11891	32162X		31153
	3/8	SMALL7	7	18720	38824X		31153
115I	325	SMALL7	7	11892	111451X		31153
115I, 115IH	3/8	SMALL7	7	18720	111452X		31153
PS6000I, PS6800I	3/8	STD7	7	68210	111450X		16204
PS9000, PS9010	3/8	STD7	7	68210	111449X		37504
122, 122SL, 123, 133, 143, CA	3/8	STD7	8	22273	16372X		16204
112, 113, 114, 116, 117, 119, 120, 116SI, 120SI	3/8	STD7	7	68210	27189X	38075X	16204
152, 153, 166	404	STD7	7	22270	27193X		37431

ECHO®

CS280, CS290, CS300, CS2800, CS2900	3/8		6			27999	22152
CS301, CS302, CS305, CS315, CS330, CS351, CS360	3/8		6			28000	22152
CS370, CS400	3/8		6			523524X	
CS1001, CS-900	404	STD7	7	22270	23136X		16204
CS400, CS440, CS3600, CS3900, CS4510, CS4600, CS4400	325	SMALL7	7	11892	513442	513444	37509
	3/8	SMALL7	7	18720	513443		37509
CS4000, CS4500, CS4600, CS5000, CS5500	325	SMALL7	7	11892	34474X		31153
CS3000, CS3350, CS3400, CS3450, CS300, 305, 340, 341, 345, 346	3/8		6			106906X	37511
CS605, CS60, CS60S	3/8	STD7	7	68210	16208		16204
	3/8	STD7	7			32782X	37827
CS602VL, CS702VL, CS750VL	3/8	STD7	7	68210	26098X	32798X	37507
CS650, CS660	3/8	STD7	7	68210	29313X		37507
CS510, CS550, CS610, CS451VL, CS452VL, CS500VL	3/8	SMALL7	7	18720	21358X	32794X	37507

EFCO®

131, MT350, MT3500	3/8		6			104440X	37325
--------------------	-----	--	---	--	--	---------	-------

EINHELL

MKS30, MKS40AV, MKS41	3/8		6			28001	21940
-----------------------	-----	--	---	--	--	-------	-------

HOMELITE®

3300, 3350, 3800, 3850, 3816	3/8"		6			108567	108817
3300, 3350, 3800, 3850, 3816	325		7			524076	108817
190, SUPER 2, VI SUPER 2, XL, XL MINI, XL2, BANDIT LX30, SABRE 31, 33, 200	3/8		6			27958	28034

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.




* = PRO AM

X = NO BEARING

HOMELITE® /..							
15AO, 350, 350HG, 350SL, EZ, EZ250AO, EZ AUTO, SEZAO, SXL MINI AO, V1123, XL MINI AO, XL101, XL72 NO BRAKE	3/8		7			30432X*	11807
450, 550, SUPER XL925(65 CLUTCH, SXL AUTO, VI944, VI955, XLAUTO, XL(800-924), XL12 (AFTER 1735838)	3/8		7			30681X*	11807
330, 350 with 3' CLUTCH, 350HG with 3' CLUTCH, 350SL with 3' CLUTCH, 360, 410 VI123, VI125, XL(76, 100 SERIES)	3/8		7			30688X*	11807
240 245	3/8	SMALL7	7	11892	38003		11807
	3/8	SMALL7	7	18720	38010		28034
20, 23, 27, 2500, 2700, 3300, 3350, 3816, 3850, 4550, 4150, 4550, PS33, UT10901, UT10926	3/8		6			108567	
	3/8		7			524076	108817
450, 550, SUPERXL925, VI944, VI955, XLAUTO, XL(800-924), XL12(after1735838)	3/8	STD7	7	68210	30666X		11807
150AO, 350HG, EZ, EZ250AO, EZAUTO, SEZAO, SXL MINIAO VI123, XL MINIAO, XL101, XL76NOBRAKE	3/8	STD7	7	68210	30672X		11807
330, 350(WITH 3"CLUTCH), 350HG (WITH3"CLUTCH,)	3/8	STD7	7	68210	30685X		11807
350SLWITH3"CLUTCH, 360, 410, VI123, VI125, XL(76-100SERIES)							
1050AUTO, 2000AUTO, 2000E, 2100AUTO, 650, 750, 9-23, 900D, 909D, 990D, 995D, BUZ-500, SUPER1050AUTO, SUPER2100AUTO, XP1020SUPER, XP2000	404	STD6	8	14031	14026X		27805
HUSQVARNA®							
340, 345, 350, 2141	3/8	SMALL7	7	11892	108215X	108308X	11893
340, 345346351, 353, 355, 357, 359, 560XP	3/8	SMALL7	7	11892	108215X		11893
334, 335, 336, 338, 339	3/8		6			522963X	
355, 357, 359, 340, 345, 346, 350, 351	3/8	STD7	7	68210	108565X		11893
33, 34, 35, 37, 38	3/8		6			28001	21940
36, 41, 136,	3/8		6			41569X	37325
	3/8		7			106656X	37325
141, 142	3/8		7			513445	37325
	3/8		6			513446	37325
	3/8	SMALL7	7	11892	513447		37325
40, 45, 49	3/8		7			106658X	11893
254 W/PUMP DRIVER (after S/N 345-0001)	3/8	STD7	7	68210	100757		11893
257 (after S/N 314-0001)	3/8	SMALL7	7	18720	40070X		11893
262 (after S/N 345-0001)	3/8	SMALL7	7	11892	100758X		11893
	3/8	SMALL7	8	11891	40071X		11893
36, 41, 136	3/8	SMALL7	7	11892	41726X	41725X	37325
	3/8		6			41769X	37325
39, 140, 240, 340, 40P, 44, 444	3/8	SMALL7	7	11892	19117		105761
42 133 234 238 242	3/8	SMALL7	1	11892	29105		105761
154, 254, 262, 50, 51, 55	3/8	SMALL7	7	11892	29175X		11893
	3/8	SMALL7	8	11891	24139X	38071X	11893
	3/8	SMALL7	7	18720	34425X		11893
	3/8	STD7	7	68210	36868X		11893
42, 242 (after S/N 3441001), 246	3/8	SMALL7	7	11892	40068		105761
40, 45	3/8	SMALL7	7	11892	35641X		11893
160, 163, 260, 263, 280, 380, 180, 480, L-65	3/8	STD7	7	68210	22209	32058	12733
480, 65, 77, 160, 163, 180, 260, 263, 280, 380	3/8		8			32125	12733
162, 268, 272, 288,	3/8	STD7	7	68210	26831		11893
RANCHER 61 (after S/N 0510572), 266 (after 051XXX)	3/8	STD7	8			32071	11999

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



* = PRO AM

X = NO BEARING

HUSQVARNA® ./.

268 (after 051XXX), 272 (after 051XXX)	3/8	STD7	7			32057	11999
61, 266, 268, 272 (before 051XXX), 162, 66	3/8	STD7	7	68210	102469		11999
371, 365, 362, 372	3/8	STD7	7	68210	105772X		37501
455, '460	3/8	SMALL7	7	18720	513470		11893
	325	SMALL7	7	11892	513472	513471	11893
385	3/8	STD7	7	68210	111590X		37501
575, 362, 365, 371, 372, 570, 575	3/8	STD7	7	68210	106593X		37501
1100, 181, 185, 2100, 2101XP, 281, 285, 394, 395, 288, 298, 394, 395,	3/8	STD7	7	68210	28094X	32059X	21276
	404	STD7	7	22270	22132X	39245	21276
3120	3/8	STD7	7	68210	37395X		21276
	404	STD7	7	22270	37969X		21276
2100	3/8		7			32059X	21276
JUNGLE2100, 2101XP	404	STD7	7	22270	35177X		21276

JOBU

SL-2, SL-21, SL-361	3/8		6			28001	21940
SL-3, SL-31	3/8		6			28004	35184
SL-35	3/8		6			28006	28031
949, 949S, LF50, LF50B, LP4, LP40, LP5, LP5B, LP5BS, LP5BV, LP6B, LP6VB	325	SMALL7	8	11891	24139X		11893

JOHN DEERE®

25EV	3/8		6			27999	22152
28, 30, 35, 40	3/8		6			28000	22152
45	325	SMALL7	7	11892	513442	513444	37509
	3/8	SMALL7	7	18720	513443		37509
50V, 55V, 7600	3/8	SMALL7	7	18720	21358X	32794X	37507
63EV	3/8	STD7	7	68210	29313X		37507
CS46, CS52	325	SMALL7	7	11892	111177X	106068X	31153
CS56, CS62	325	SMALL7	7	11892	100758X		11893
	3/8	STD7	7	68210	100757		11893

JONSERED®

36, 361, 365, 370	3/8		6			28001	28031
2138, 2139	3/8		6			41569X	37325
2045, 2050, 2063, 2041, 2141, 2150, 2153, 2255	325		7			106658X	11893
2065, 2071, 2165	3/8"	STD7	7	68210	106593X		37501
2036, 2041, 2035, 2040	325	SMALL7	7	11892	41726X	41725X	37325
	3/8		6			41569X	37325
	325		7			106656X	37325
490, 590	325	SMALL7	7	11892	29175X		11893
	325	SMALL7	8	11891	24139X	38071X	11893
	3/8	STD7	7	68210	36868X		11893
410 420 425 435	325	SMALL7	7	11892	32940X		11893
2051, 450, 455, 510, 520, 525, 535	325	SMALL7	7	11892	33807X		37501
2051, 2054, 2055 (use bearing 37504 for 2051, 2054, 2055),	325	SMALL7	8	11891	26950X		37501
	3/8	SMALL7	7	18720	29496X		37501
2045, 2050, 2063	325	SMALL7	7	11892	35641X		11893
2145	325		7			108308X	11893
2165	3/8	STD7	7	68210	105772X		37501
2159, 2141, 2145, 2149, 2150, 2152, 2151	3/8	STD7	7	68210	108565X		11893
	325	SMALL7	7	11892	108215X		11893
45, 451, 495P, 50, 51, 52, 521,	325	SMALL7	8	11891	21238X		11893

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu



* = PRO AM

X = NO BEARING

JONSERED® J..							
52E	3/8	SMALL7	7	18720	18242X		11893
1020	3/8	STD7	7	68210	12667X	32778X	16204
	404	STD7	7	22270	21932X		16204
625 (after S/N 0510123), 2065, 2071	3/8	STD7	7	68210	26831		11893
630 (after 0510000)	3/8	STD7	8			32071	11999
670 (after S/N 050153)	3/8	STD7	7			32057	11999
625 (before S/N 0510123), 630 (before S/N 0510000), 670 (before S/N 0510153)	3/8	STD7	7	68210	102469		11999
2094	3/8	STD7	7	68210	39668X		21276
2095	3/8	STD7	7	68210	108564X		21276
2077, 2083	3/8	STD7	7	68210	102383X		37501
820, 910, 920, 930, 830	3/8	STD7	8	22273	28563X		37486
MAKITA®							
DCS34	3/8		6			112130	22152
DCS400, 401, 33, 340, 341, 342, 344, UC3020A, UC3520A, UC4020A, DCS3410TH, DCS232T, UC3030A, DCS4610, UC3530AK	3/8		6			112135	21940
DCS 430, DCS 2501, DCS 4300,	325	SMALL7	8	11891	32162X		31153
DCS 5200I	3/8	SMALL7	7	18720	38824X		31153
DCS 6000I, DCS 6800I	3/8	STD7	7	68210	111450X		16204
DCS9000, DCS9010	3/8	STD7	7	68210	111449X		37504
MCCULLOCH®							
MAC (110, 130, 140) MINIMAC (25, 30), 365, PM480, MiniMac, Titan35, 40	3/8		6			29888	21940
POWER MAC (310, 320, 330, 340, 364, 384, 394, 484, 494, 510), 3200							
TITAN 35/40, TITAN 7, 500, 3516, 835AV							
538, 54	3/8		6			503025	
DOUBLEEAGLE50, TITAN50, 57, 70	325	SMALL7	8	11891	38147X		11893
Mac 950	3/8	STD7	7	68210	18200X		31153
1-10SERIES, CP55, CP70, PM10-10, PM570, PM60, PM610, PM650, PM700,	3/8	STD7	7	68210	68209X	32786X	11893
PM850, SP55, SP60, SP61, SP70, PM155, PM165, 355, 375, 515	404	STD7	7	22270	21426X		11893
OLEO-MAC-OLYMPIK®							
931	3/8		6			104440X	37325
935	3/8		6			103217X	
946, 938, 941, 942, 945, 951, GS44	325	SMALL7	7	11892	111177X	106068X	31153
947, 952	325	SMALL7	7	11892	111178X		31153
261	3/8	STD7	7	68210	31071X		37493
350 (PRIOR 1988), 252, 254, 251, 355	3/8	STD7	7	68210	13916X		31153
260, 260A, 260AS, 260S, 261, 280, 280A, 460, 460AS, 480, 480AS, 481, 482, 271, 272, 281, 284, 461,	3/8	STD7	8	22273	26580X		13061
956 962	325	SMALL7	7	11892	100758X		11893
	3/8	STD7	7	68210	100757		11893
PARTNER®							
351	3/8"		6			106114	37325
335, 352	3/8		6			41569X	37325
1612, 1613, 1614, 1616, 330, 350, MINI P3, P2, 22	3/8		6			28001	21940
365, 405	3/8		6			41569X	37325
	325		7			106656X	37325
365, 405,	325	SMALL7	7	11892	41726X	41725X	37325
460	3/8	SMALL7	7	11892	35641X		11893
400, 500, P48, P49V, P5000, 540, 545,	325	SMALL7	7	11892	29175X		11893
	325	SMALL7	8	11891	24139X	38071X	11893

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



* = PRO AM

X = NO BEARING

PARTNER® J..

	3/8	STD7	7	68210	36868X		11893
P100AFTERMAY1977, P85AFTERMAY1977	3/8	STD7	7	68210	25842X		16204
7000, F55, F65, R-16, R-17, 421, P70, R22,	3/8	STD7	7	68210	12667X	32778X	16204
R-171, R-18, R-19, R-20, R201, R-21, R-21T, R-22, R-420, S50, S55	404	STD7	7	22270	21932X		16204
P7700, W416, W485	3/8	STD7	7	68210	40371X		37501

PIONEER

P12	3/8		6			28001	21940
1072, 1073, 1074, 2071, 2073, 970, HOLIDAYII, P20, P21, P25, P26, P28	325	SMALL7	8	11891	28611X		11893
FARMSAW (1160, 1200, 1420, 2270, 2400, 3071, 3200)	3/8	STD7	7	68210	27440X		11893
P38, P41, P42, P51, P60, P61, P62							

POULAN®

3300, 3350, 285, 2700, 3500, 3700	325		7			107504X	11893
1800, 2000, 2300, 235, MICRO 25, 180, 205, 225	3/8		6			28004	35184
25 SERIES, S25	3/8		6			28006	28031
210, 221, 1950, 2055, 230, 260, 2050, 2075, 2150, 2175, 2250, 2450,	3/8		6			106114	37325
2550							
255, 295, 2500, 2600, P600, 210, P600, 2750, 2900, 3050	325	SMALL7	7	11892	41725X	106656X	37325
2800, 285, 3000, 305, 330, 335, 336, 2700, 3300, 3350, 3450, 3500,	325	SMALL7	7	11892	34254X	107504X	11893
3700							
200, 245, 306, 306AUTO, 345AUTO, 4200, 4400, 4900, 5200, 5400	3/8	STD7	7	68210	23706X	32062X	12069
325	325	SMALL7	7	11892	29175X		11893
	325	SMALL7	8	11891	24139X	38071X	11893
405, 455, 525, 655	3/8	STD7	7	68210	27440X		11893
3400, 375, 3700, 3800, 4000, 395	3/8	STD7	7	68210	28187X	32790X	11893
3416, 3816, 4018, 4218, 3314, 4218	3/8		6			514678	108817
415, 475	3/8	STD7	7	68210	40371X		37501
5500, 6000	404	STD7	7	22270	27193X		37431

PS

180	3/8	STD7	7	68210	22209	32058	12733
	404	STD7	7	22270	24256		12733

QUADRA

F35, F35VIP, FB35, FB35VIP	3/8		6			28001	21940
----------------------------	-----	--	---	--	--	-------	-------

REMINGTON®

5005, MIGHTY-MITE 100	3/8		6			28005	28033
FROMLATE1969MODELS, PL-4, PL-5, PL-5A	3/8	STD7	7	68210	30666X	30681X	11807
	404	STD7	7	22270	37996X		11807

RIDGID

305A, 305AM, 340, 340 SUPER, 380, 380AV	3/8		6			28004	35184
590 690 850	3/8	STD7	7	68210	23706X		12069

RYOBI®

CSE3840B	3/8		6			104102X	
----------	-----	--	---	--	--	---------	--

SKIL®

1600U, 1601H, 1602H, 1601U, 1612U, 1712U, 1603H, 1604H	3/8		6			28001	21940
1620U, 1634U	3/8		6			28004	35184
1636U	3/8		6			28006	28031

SOLO®

639, 644, 651, 651SP	325		7			111435X	37511
----------------------	-----	--	---	--	--	---------	-------

STIHL®

010, 011, 012, 009, 020T, MS200T, MS241	3/8		6			28016X	37511
017, 018, 019, 021, 023, 025, MS190, MS210, MS211, MS250, MS231	3/8		6			100962X	37325

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



* = PRO AM

X = NO BEARING

STIHL® J..

MS170, MS180, MS230, MS171, MS181, MS192	325		7			106657X	37325
	3/8	SMALL7	7	18720	523046X		37325
017, 018, 019, 021, 023, 025, MS190, MS210, MS250, MS170, MS180, MS230	325	SMALL7	7	11892	100961X		37325
28, MS280	325	SMALL7	7	11892	30384X		37517
	3/8	SMALL7	7	18720	29917X		37517
024, 026 AFTER SN X 25 80 9074, MS260, MS261, MS270, MS271, MS240	325	SMALL7	7	11892	100791X	100876X	37325
024, 026 (BEFORE SN X25 80 9074)	325	SMALL7	7	11892	32457X	38076X	37325
038, 038 Super Magnum	3/8		7		509604X	32061X	37514
045, 045AVELECTRONIC, 056(before S/N 10963560)	3/8		7			32063X	25518
48	3/8		7			32064X	37514
041, 041AV, 041AVELECTRONIC, BEFORE5664891	3/8	STD7	7	68210	13916X		31153
030AV, 031AV, 031AVELECTRONIC, 032, 041, 041AV, 041AVElectronic, AFTER5664891	3/8	STD7	7	68210	18200X	32060X	31153
64, 066, MS360, MS660	3/8	STD7	7	68210	35464X		37504
	404	STD7	7	22270	35460X		37504
44, 046, MS440, MS441, MS460, MS361, MS341	3/8	STD7	7	68210	38470X	38471X	37504
050AV, 051AVELECTRONIC,	3/8	STD7	8	22273	22271X		16204
075ELECTRONIC, 076	404	STD7	7	22270	22262X	32072X	16204
029, 034.036, 039, MS361, MS362, MS390, MS290, MS391, MS310, MS311, MS360, MS390	3/8	SMALL7	7	18720	34162X	38145X	37325
029, MS290	325		7			111188X	37325
029, MS290	3/8"		7			38145X	37325
070, 070AV, CONTRA, SUPERCONTRA	404	STD7	7	22270	10612X	32669X	37825
70	404	STD7	7	22270	108818X		37825
08, 08S, S-10, 07	404	STD7	7	22270	10625X	35992X	37431

TAS TANAKA®

3500	3/8		6			508038X	37325
350	3/8		6			28016X	37511
400, 4501, 4000, ECS415	325		7			111434X	37325

TOPSO

ALLMODELS	3/8	STD7	7	68210	18200X		31153
-----------	-----	------	---	-------	--------	--	-------

ZENOAH®

G300, G310, G320, G280, G2500T, G3200T, GZ3500T	3/8		6			104440X	37325
620, 621, G561	325	SMALL7	7	11892	21358RX		37507
560	3/8	SMALL7	7	18720	21358X	32794X	37507





PN				
106068X	SPUR	325	7	Oleo-Mac® 946 - 938 - 941 - 942
106117	CONSUMER SPUR	3/8"	6	Partner® 351
10612X	POWER MATE	404	7	Stihl® 070, 070AV, CONTRA, SUPERCONTRA
10625X	POWER MATE	404	7	Stihl® 08, S-10, 08S
106593X	POWER MATE	3/8"	7	Jonsered® 2065, 2071
106656X	SPUR	325	7	Poulan® 255 - 295 - 2500 P600
106658X	SPUR	325	7	Husqvarna® 40 - 45
106906X	CONSUMER SPUR	3/8"	6	Echo® 3000 - 3400 - 3450
107504X	CONSUMER SPUR	325	7	Poulan® 3000, 3350, 285, 2700, 3500, 3700
108215X	POWER MATE	325	7	Husqvarna® 340, 345, 350, 351
108308X	CONSUMER SPUR	325	7	Husqvarna® 340, 345, 350
108567	PRO-AM SPUR	3/8"	7	Homelite® 3300, 3850, 3800, 3850
12667X	POWER MATE	3/8"	7	Jonsered® 1020. Partner® P100 AFTER MAY 1977, R85 AFTER MAY 1977, 7000, F55, F65, R-16, R-17, R-171, R-18, R-19, R-20, R-201, R-21, R-215, R-22, R-420, S50, S55
13916X	POWER MATE	3/8"	7	Stihl® 041, 041AV, 041AV ELECTRONIC, Before 5664891. Oleo-Mac® 350, 251 (PRIOR 1988) 254, 355, SUPER, 2000E, 2000 Auto, SUPER2100 Auto, 650, 750, 2100 AUTO
16208	POWER MATE	3/8"	7	Echo® CS-605, CS-60
16372X	POWER MATE	3/8"	8	Dolmar® 122, 122SL, 123, 133, 143, CA
18200X	POWER MATE	3/8"	7	Stihl® 032, 041, 041AV, 044AV ELECTRONIC After SR #5664891, 030AV, 031AV, 031AV ELECTRONIC. Topso: All models, MacCulloch 950
18242X	POWER MATE	3/8"	7	Jonsered® 45, 49SP, 50, 51, 52E, 451, 521
19117X	POWER MATE	325	7	Husqvarna® 44, 140, 240, 340, 444, 40P
20879X	POWER MATE	3/8"	8	Stihl® 045, 056, 045AV ELECTRONIC
21358X	POWER MATE	325	7	Echo® CS-451VL, CS-500VL, CS-510, CS-550, CS-61 Zenoah® 620, 621
21358RX	POWER MATE	3/8"	7	Zenoah® 560
22132X	POWER MATE	404	7	Husqvarna® 181, 185, 281, 285, 394, 1100, 2100, Jonsered® 2095
22209	POWER MATE	3/8"	7	Husqvarna® 65, 77, 160, 163, 260, 263, 280, 380, 480. PS 180
22262X	POWER MATE	404	7	Stihl® 050AV, 051AV ELECTRONIC, 075 ELECTRONIC, 076
22271X	POWER MATE	3/8"	8	Stihl® 050AV, 051AV ELECTRONIC, 075 ELECTRONIC, 076
24139X	POWER MATE	325	8	Husqvarna® 50, 51, 55, 154, 254, 262. Partner® 400, 500, P5000, P48, P49. Jonsered® 490
26098X	POWER MATE	3/8"	7	Echo® CS-602VL, CS-702VL, CS-750VL
26580X	POWER MATE	3/8"	8	Oleo-Mac® 260, 260A, 260AS, 260S, 261, 280, 280A, 460, 460AS, 480, 480AS
26831	POWER MATE	3/8"	7	Husqvarna® 162, 266, 268, 272, 288, Rancher 61. Jonsered® 625 (after S/N 0510123), 630 (after S/N 051 XXX) 630 SUPER (after S/N 051 XXX), 670 (after S/N 051 0153), 2065, 2071
26950X	POWER MATE	325	8	Jonsered® 510, 520, 525, 450, 455, 535, 2051
27189X	POWER MATE	3/8"	7	Dolmar® 112, 113, 114, 116, 117, 119, 120, 116SI, 120SI
27193X	POWER MATE	404	7	Dolmar® 153, 166 Poulan® 5500, 6000
27958	CONSUMER SPUR	3/8"	6	Homelite® 190, SUPER 2, VI SUPER 2, XL, XL MINI, XL2, Bandit LX30 Sabre 31, 33, 200.
27999	CONSUMER SPUR	3/8"	6	Echo® CS280, CS290, CS300, CS2800, CS2900
28000	CONSUMER SPUR	3/8"	6	Echo® CS301, CS302, CS315, CS330, CS351, CS360
28001	CONSUMER SPUR	3/8"	6	Dolmar® 290E. Einhell MKS30, MKS40AV, MKS41. Husqvarna® 34, 35, 37. Jobu SL-2, SL-21, SL-361. Jonsered® 36, 361, 365. Partner® 1612, 1613, 1614, 1616, 330, 350, MINI P3, P2. Pioneer P12. Quadra F35, F35VIP, FB35, FB35VIP. Skil
28004	CONSUMER SPUR	3/8"	6	Bernard BM230.0, BM230.1, BM236.3. Jobu SL-3, SL-31. Poulan® 1800, 2000, 2300, 235 MICRO 25.
28004	CONSUMER SPUR	3/8"	6	Dolmar® 101. Rigid 305A, 305AM, 340, 340 SUPER, 380, 380AV. Skil® 1620U, 1634U.
28005	CONSUMER SPUR	3/8"	6	Alpina Castor 330, 380. Remington® 5005, MIGHTY-MITE 100.
28006	CONSUMER SPUR	3/8"	6	Bernard BM441.3. Dolmar® 104. Jobu SL-35. Poulan® 25 series, S25. Skil® 1636U.
28016X	CONSUMER SPUR	3/8"	6	Stihl® 010, 011, 012, 089.
28094X	POWER MATE	3/8"	7	Husqvarna® 181, 185, 281, 285, 394, 1100, 2100, 2101 Jonsered® 2095.


PN

28187X	POWER MATE	3/8"	7	Poulan® 395, 3400, 3700, 4000. Bernard BM651.3
28563X	POWER MATE	3/8"	8	Jonsered® 820, 910, 920, 930
28611X	POWER MATE	325	8	Pioneer P-20, P-21, P-25, P-26, P-28, 970, 1072, 1073, 1074, 2071, 2073 Holiday II
29105	POWER MATE	325	7	Husqvarna® 42, 133, 234, 238
29175X	POWER MATE	325	7	Husqvarna® 50, 51, 55, 154, 254, 262. Jonsered® 490, 590 Partner® 400, 500, P5000, P48, P49V,
29243X	POWER MATE	325	7	Echo® CS-400, CS-440, CS-3600, CS3900, CS-4010, CS-4510, CS-4600
29313X	POWER MATE	3/8"	7	Echo® CS-650, CS-660
29888	CONSUMER SPUR	3/8"	6	McCulloch® MAC (110, 130, 140), Minimac (25, 30), Power Mac (310, 320, 330, 340, 364, 374, 394, 484, 494, 510), TITAN 35/40, TITAN 7.500
29917X	POWER MATE	3/8"	7	Stihl® 028
31071X	POWER MATE	3/8"	7	Oleo-Mac® 261
30384X	POWER MATE	325	7	Stihl® 028
30432X	PRO-AM SPUR	3/8"	7	Homelite® EZ AUTO, 150AO, 350, 350HG, 350SL, EZ, EZ 250 AO, SEZAO, SXL MINI AO, VI123, XL MINI AO, XL101, XL72 no brake.
30666X	POWER MATE	3/8"	7	Homelite® XL-12 (after SN 735838), VI 944, VI 955, 450, 550, XL (800-924), XL Auto, SUPER XL 925. Remington® from late 1969, PL-4, PL-5, PL-5A
30672X	POWER MATE	3/8"	7	Homelite® 350HG, 350SL with 2-5/8" clutch with a 5/8" dia. shaft, XL76 without brake, EZ, EZ Auto, SEZ AO, SXL Mini AO, 150 AO, EZ 250 AO, XL Mini AO, XL 101, VI 123
30681X	PRO-AM SPUR	3/8"	7	Homelite® 450, 550, SUPER XL925 (6 shoe clutch), SXL AUTO, VI944, VI955, XL AUTO, XL (800-924), XL12 (after 1735838).
30685X	POWER MATE	3/8"	7	Homelite® 330, 350 with 3" clutch, 350HG with 3" clutch, 350SL with 3" clutch, 360, 410, VI123, VI125, XL(76-100 series)
30869X	POWER MATE	3/8"	7	Echo® CS-400, CS-440, CS 3900
31071X	POWER MATE	3/8"	7	Oleo-Mac® - Olympic 261
32057	PRO SPUR	3/8"	7	Husqvarna® 162, 266, 268, 272, 288. Rancher 61. Jonsered® 630, 625, 670
32058	PRO SPUR	3/8"	7	Husqvarna® 65, 77, 160, 163, 260, 263, 280, 380, 480
32059X	PRO SPUR	3/8"	7	Husqvarna® 181, 185, 281, 285, 394, 1100, 2100, 2101 Jonsered® 2095
32060X	PRO SPUR	3/8"	7	Oleo-Mac® 251, 350. Stihl® 041, 041AV, 041AV ELECTRONIC After 5664891, 030AV, 031AV 031AV ELECTRONIC, 032
32061X	PRO SPUR	3/8"	7	Stihl® 038
32062X	PRO SPUR	3/8"	7	Poulan® 4200, 4400, 4900, 5200, 5400, 245, 306, 200, 306 AUTO, 345 AUTO
32063X	PRO SPUR	3/8"	7	Stihl® 045, 045AV ELECTRONIC, 056
32064X	PRO SPUR	3/8"	7	Stihl® 048
32071	PRO SPUR	3/8"	8	Husqvarna® 162, 266, 268, 272, 288, Rancher 61. Jonsered® 630, 625, 670
32072X	PRO SPUR	404	7	Stihl® 050AV, 051AV ELECTRONIC, 075 ELECTRONIC, 076
32125	PRO SPUR	3/8"	8	Husqvarna® 65, 77, 160, 163, 260, 263, 280, 380, 480
32162X	POWER MATE	325	8	Dolmar® 109, 110, 111, 115
32457X	POWER MATE	325	7	Stihl® 024, 026 (before S/N X25809074)
32669X	PRO SPUR	404	7	Stihl® 070, 070AV, CONTRA, SUPERCONTRA
32778X	PRO SPUR	3/8"	7	Jonsered® 1020. Partner® 7000, F55, F65, R-16, R-17, R-171, R-18, R-19 R-20, R-201, R-21, R-215, R-22, R-420, S50, S55
32782X	PRO SPUR	3/8"	7	Echo® CS-605, CS-60, CS605
32786X	PROSPUR	3/8"	7	McCulloch® 1-10 series, CP55, CP70, PM10-10, PM570, PM60, PM610, PM650, PM700, PM850, SP55, SP60, SP61, SP70
32794X	PRO SPUR	3/8"	7	Echo® CS-451VL, CS-452VL, CS-500VL, CS-510, CS-550, CS-610
32798X	PRO SPUR	3/8"	7	Echo® CS-602VL, CS-702VL, CS-750VL
32943X	POWER MATE	325	8	Jonsered® 410, 420, 425, 435
33807X	POWER MATE	325	7	Jonsered® 450, 455, 510, 520, 525, 535, (2051, 2054 (use bearing 37504))
34162X	POWER MATE	3/8"	7	Stihl® 034, 036
34254X	POWER MATE	325	7	Poulan® 2800, 3000, 285, 305
34474X	POWER MATE	325	7	Echo® CS4000, CS4500, CS4600, CS5000, CS5500

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



PN

35177X	POWER MATE	404	7	Husqvarna® 2101XP, Jungle 2100
35460X	POWER MATE	404	7	Stihl® 064, 066
35464X	POWER MATE	3/8"	7	Stihl® 064, 066
35641X	POWER MATE	325	7	Husqvarna® 40, 45. Jonsered® 2045, 2050
35992X	PRO SPUR	404	7	Stihl® 08, 08S, S-10
36868X	POWER MATE	3/8"	7	Husqvarna® 154, 254, 262, 50, 51, 55
37395X	POWER MATE	3/8"	7	Husqvarna® 3120
37969X	POWER MATE	404	7	Husqvarna® 3120
37990	POWER MATE	3/8"	7	Homelite® XL12 (Before SR #1735838), C52, XL(400-700), XL15
38003	POWER MATE	325	7	Homelite® 240, 245
38010	POWER MATE	3/8"	7	Homelite® 240, 245
38071X	PRO SPUR	325	8	Husqvarna® 50, 51, 55, 154, 254, 262. Partner® 400, 500, P5000, P48, P49. Jonsered® 490, 590.
38075X	PRO SPUR	3/8"	7	Dolmar® 112, 113, 114, 116, 116SI, 117, 119, 120, 120SI
38076X	PRO SPUR	325	7	Stihl® 024, 026
38145X	PRO SPUR	3/8"	7	Stihl® 034, 036, 029
38470X	POWER MATE	3/8"	7	Stihl® 044
38471X	PRO SPUR	3/8"	7	Stihl® 044
38505X	POWER MATE	325	7	Alpina Castor A40E, PROF 41, PROF 45
38824X	POWER MATE	3/8"	7	Dolmar® 109, 110, 111, 115
39668X	POWER MATE	3/8"	7	Jonsered® 2094, 2095
39670X	POWER MATE	3/8"	8	Jonsered® 2094, 2095
40068	POWER MATE	325	7	Husqvarna® 42, 242 (after S/N 344-1001), 246
40070X	POWER MATE	3/8"	7	Husqvarna® 254 W/PUMP DRIVER
40071X	POWER MATE	325	8	Husqvarna® 262 (after S/N 345-0001)
40371X	POWER MATE	3/8"	7	Jonsered® 2077. Partner® P7700. Poulan® 475
41569X	CONSUMER SPUR	3/8"	6	Husqvarna® 36, 41 Jonsered® 2036, 2041 Partner® 365, 405
41725X	PRO SPUR	325	7	Husqvarna® 36, 41 Jonsered® 2040, Partner® 365, 405
41726X	POWER MATE	325	7	Husqvarna® 36, 41 Jonsered® 2040 Partner® 365, 405
68209X	POWER MATE	3/8"	7	McCulloch® Mac 1-10 series, CP55, CP70, PM10-10, PM570, PM60, PM610, PM650, PM700, PM850, SP55, SP60, SP61, SP70. Danarm 55, 55 AUTO
100757	POWER MATE	3/8"	7	Husqvarna® 254 W/PUMP DRIVER (after S/N 345-0001), 257, 262, Oleo-Mac® 956,962
100758X	POWER MATE	325	7	Husqvarna® 262 (after S/N 345-0001), Oleo-Mac® 956, 962
100791X	POWER MATE	325	7	Stihl® 026, 024 W/NUMBER X 25 80 9074 AND UP
100876X	PRO SPUR	325	7	Stihl® 026, 024 W/NUMBER X 25 80 9074 AND UP
100961X	POWER MATE	325	7	Stihl® 017,018,019, 021, 023, 025
100962X	CONSUMER SPUR	3/8"	6	Stihl® 017,018,019, 021, 023, 025
102383X	POWER MATE	3/8"	7	Jonsered® 2077, 2083
102469	POWER MATE	3/8"	7	Husqvarna® 61, 266, 268, 272XP, Jonsered® 625, 630, 670 (before May 1990 S/N 051 XXXX)
103217X	CONSUMER SPUR	3/8"	6	Oleo-Mac® 935
103218X	CONSUMER SPUR	3/8"	6	Alpina® 380,CX40,EURO
104102X	CONSUMER SPUR	3/8"	6	Alpina® P-34,360,370,390, Ryobi® CSE3840B
104166X	POWER MATE	325	7	Husqvarna® 254, 257, 262
104167X	POWER MATE	325	8	Husqvarna® 254, 257, 262
104440	CONSUMER SPUR	3/8"	6	Zenoah® G300, EFC0131, Oleo-Mac® 931
105772X	POWER MATE	3/8"	7	Husqvarna® 371
106068X	CONSUMER SPUR	325	7	Oleo-Mac® 938, 941, 942, 946,945,951
106114	CONSUMER SPUR	3/8"	6	Poulan® 230,260,2050,2075,2510,2175,2250?2450?2550
106656X	CONSUMER SPUR	325	7	Husqvarna® 36, 41, Jonsered® 2036, 2040, Partner® 365, 405
106657X	CONSUMER SPUR	325	7	Stihl® 017,018,019, 021, 023, 025
106658X	CONSUMER SPUR	325	7	Husqvarna® 40, 45, Jonsered® 2045, 2050
108565X	POWER MATE	3/8"	7	Husqvarna® 355,357,359

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu



PN

111171X	POWER MATE	325	7	Oleo-Mac® 946,938,941,942,945,951
111178X	POWER MATE	325	7	Oleo-Mac® 947,952
111185X	PRO SPUR	325	7	Alpina® 400,450,500
111188X	PRO SPUR	325	7	Stihl® 029
111434X	PRO SPUR	325	7	Tas Tanaka® 400,4501
111435X	PRO SPUR	325	7	Solo® 639,644,651,651SP
111449X	POWER MATE	3/8"	7	Dolmar® PS9000,PS9010 Makita® DCS9000,DCS9010
111450X	POWER MATE	3/8"	7	Dolmar® PS6000I,PS6800I Makita® DCS6000I,DCS6800I
111451X	POWER MATE	325	7	Dolmar® 115I
111452X	POWER MATE	3/8"	7	Dolmar® 115I,115IH





OREGON®			CARLTON®			MCCULLOCH®			STIHL®			WINDSOR®			HUSQVARNA®			EM			DOLMAR®		
PART #			ALT P/N	ALT P/N	ALT P/N	ALT P/N	ALT P/N	ALT P/N	PART #	PART #	PART #	ALT P/N	PART #	PART #	ALT P/N	PART #	PART #	PART #	PART #	PART #	PART #	PART #	PART #
1/4	0050	MICRO CHISEL	Z5AP	EIMC	EIMC-BL	KINK	KINK-BL		13RM			50K			50G	H00		500					
325	0050	MICRO CHISEL	20BP	K1C	K1C-BL			PM370GX	23RM2			50J			50G	H22							082
325	0050	CHISEL	20LP	K1L	K1L-BL			SPR320GX	23RS			50JL				H23							
325	0050	MICRO CHISEL	95R													H30R							
325	0050	MICRO CHISEL	95VP													H30							
325	0050	CHISEL	M20LP																				
325	0058	MICRO CHISEL	21BP	K2C	K2C-BL			SPR328GX	25RS			58J			58G	H25							083
325	0058	CHISEL	21LP	K2L	K2L-BL							58JL				H21							686
325	0063	MICRO CHISEL	22BP	K3C	K3C-BL				26RM2			63J			63G	H28							
325	0063	CHISEL	22LP	K3L	K3L-BL				26RS			63JL				H26							
325	0063	CHISEL	M22LP																				
3/8	0050	SEMI CHISEL		A1EP				PM370GX	33RM			50A											099
3/8	0050	SEMI CHISEL	72DP	A1EP	A1EP-BL			SPR370GX	33RM			50AG				H51							
3/8	0050	CHISEL	72LG	A1LM				SPR370GX	33RS			50APL				H47							
3/8	0050	CHISEL	72LP	A1LM	A1LM-BL			SPR370GX	33RS1			50APLG				H46							100
3/8	0050	SEMI CHISEL	72RD	A1EP-AP																			
3/8	0050	SEMI CHISEL		A1EP-GL																			
3/8	0050	CHISEL	M72LP						33RM2			50AG											
3/8	0050	CHIPPER		AT5																			
3/8	0050	CARBIDE																					
3/8	0050	CARBIDE							33RD														
3/8	0058	SEMI CHISEL	73DP	A2EP	A2EP-BL			PM378GX	36RD														
3/8	0058	CHISEL	73LG	A2LM				SPR378GX	35RS			58AG				H49							549
3/8	0058	CHISEL	73LP	A2LM	A2LM-BL			SPR378GX	35RS			58APL				H48							548
3/8	0058	SEMI CHISEL	73RD	A2EP-AP					35RS1			58APLG				H42							099
3/8	0058	CHISEL	M73LP													H52							552
3/8	0058	CHIPPER		A25																			
3/8	0063	SEMI CHISEL		A3EP					36RM														
3/8	0063	SEMI CHISEL	75DP	A3EP	A3EP-BL			PM373GX	36RM			63A											
3/8	0063	CHISEL	75LG	A3LM				SPR373GX	36RS			63AG				H44							
3/8	0063	CHISEL	75LP	A3LM	A3LM-BL			SPR373GX	36RS			63APL											
3/8	0063	SEMI CHISEL	75RD	A3EP-AP				SPR373GX	36RS1			63APLG				H45							110
3/8	0063	SEMI CHISEL		A23P-GL												H53							553
3/8	0063	CHISEL	M75LP						36RM2			63AG											
3/8	0063	CHIPPER		A35																			
3/8 CON	0043	CHAMFER		N4C																			
3/8 CON	0043	CHAMFER	90SG	N4C-BL					61PMN			43RG											
3/8 CON	0050	CHAMFER	911X																				
3/8 CON	0050	CHAMFER	91P	N1C	N1C-BL				63PM														
3/8 CON	0050	CHAMFER	91VX(VS)	N1C				M370GX	63PM			50R				H35							
3/8 CON	0050	CHAMFER	91VG	N1C-BL				M370GLX				50RG				H36							092
3/8 CON	0050	CHAMFER	M91VX(VS)																				
404	0058	MICRO CHISEL	26	B3EP				SM408				58B											
404	0063	MICRO CHISEL	27		B35			SM403GX	46RM			63B				H64							103
404	0063	MICRO CHISEL	27P					SM403GX															
404	0063	MICRO CHISEL	27R					PM403R				63BR				H65							108
404	0058	CHISEL	58L					SPR408				63B											
404	0063	CHIPPER	59AC	B35				PM403	46RS			63BL				H57							
404	0063	CHISEL	59L					SPR403															
404	0058	MICRO CHISEL																					
404	0058	MICRO CHISEL		B2EP																			
404	0058	MICRO CHISEL																					
404	0063	MICRO CHISEL	16H	B3H	B3M			PM403H	46RMH			HC											
404	0080	MICRO CHISEL	18H		B5M				40RMH			2HC											
3/4	0122	SEMI CHISEL	11H	G75																			

ALPINA®


4112100	203RND029
4112190	208SLHK119
4112250	188SLGK095
4112270	120SXA016
4112280	140SXA016
4112280	140SDEA016
4112290	160SXA016
4112290	160SDEA016
4112300	140SDEA041
4112380	188RND009
4112381	188SLHD009
4112390	208RND009
4112391	208SLHD009
4112450	168SLBA095
4112460	243ATMD009
4112470	180SDEA318
4112478	180SDEA016
4112490	188SLBA095
4112500	160SDEA041
4112540	223ATMD009
4112560	140SDEA074
4112570	160SDEA074
4112600	124MLEA016
4112620	160MPBA074
4112630	160MLBA165
4112640	208SLBA095
4112650	130MLBA165

DOLMAR®


411907650	158SLHK153
411909650	188SLHK153
411909660	180SLHK153
411910650	208SLHK153
411910660	200SLHK153
412030061	120SDEX041
412030211	124MLEX041
412030611	124MLEZ041
412030661	120SDEZ041
412035061	140SDET041
412035211	144MLET041
412035611	144MLEA041
412035661	140SDEA041
412040061	160SDEX041

412040611	164MLEZ041
412040661	160SDEZ041
414033141	130MLBA041
414038141	150MLBA041
414045141	180MLBA041
415033141	130MPBK095
415033631	138SLBK095
415038141	150MPBK095
415038451	158ATMK153
415038631	158SLBK095
415038655	168SLHD009
415040631	168SLBK095
415045141	180MPBK095
415045451	188ATMK095
415045455	188ATMD009
415045631	188SLBK095
415045655	188SLHD009
415050452	208ATMD033
415050455	208ATMD009
415050652	198SLHD033
415050655	208SLHD009
415053451	218ATMK153
415060451	248ATMK153
415060452	248ATMD033
415060455	248ATMD009
415060652	238SLHD033
415060655	248SLHD009
415070455	288ATMD009
415074452	298ATMD033
415076422	303ATMD033
415084422	333ATMD033
442040661	160SDEZ041
445033631	138SLBK095
452030661	120SDEZ041
452035661	140SDEA041
462030111	120SDEZ041
462035661	140SDEA041

HUSQVARNA®


501589601	248ATMD009
501921824	423ATLD009
501956072	208SLHD009
501956552	118SLBK095
501956968	188RND009
501956984	248RND009
501956992	288RND009

501957768	188RNDK095
501957772	208RNDK095
501958072	208ATMD009
501958092	288ATMD009
501958104	363ATLD009
501958192	303ATLD009
501959226	160SDEA095
501959240	100EDEA095
501959245	120SDEA095
501959540	104MLEA095
501959545	124MLEA095
507476046	243ATMD009
530044508	160SDEA041
501955952	138SLDD009
501958068	188ATMD009
501958768	188ATMK095
501959168	160MPBD009
501959245	120SPEA095
501959252	140SDEA095
501959252	140SPEA095
501959256	160SPEA095
508912156	138SLBK095
508912164	158SLBK095
508914156	158SLHK095
508926156	130MPBK095
508926164	150MPBK095

HUSQVARNA®


501854149	140SDEA041
501922945	120SDEA041
501956172	208SLHD009
501956652	118SLBK095
501956868	188ATMH009
501956872	208ATMD009
501956884	248ATMD009
501956892	288ATMD009
501957068	188RND009
501957072	208RND009
501957084	248RND009
501957092	288RND009
501957868	188RNDK095
501958204	363ATLD009
501959167	160MPBK095
501959181	200MPBD009
507433649	140SDEA095
507433650	160SDEA095

501956172	208SLHD009
501957060	168RND009
501957868	188RNDK095
501957968	188ATMK095
501958200	343ATLD009
501959181	200MPGD009
508912356	138SLBK095
508912364	158SLBK095
508912366	168SLGK095
508912372	188SLHK095
508913064	178SLHD009
508914356	158SLHD009
508926356	130MPBK095
508926364	150MPBK095

MAKITA®


442030661	120SDEZ041
442035661	140SDEA041
442040661	160SDEZ041
472035661	140SDEA041
442030611	124MLEZ041
442035611	144MLEA041
442040611	164MLEZ041
442030061	120SDEX041
442035061	140SDET041
442040061	160SDEX041
443038651	158SLHK153
443045661	180SLHK153
443045651	188SLHK153
443053651	208SLHK153
443053661	200SLHK153
445033631	138SLBK095
445038631	158SLBK095
445040631	168SLBK095
445045631	188SLBK095
445033141	130MPBK095
445038141	150MPBK095
445045141	180MPBK095
444033141	130MLBA041
444038141	150MLBA041
482035661	140SDEA041
445045451	188ATMK153
445053451	218ATMK153
445060451	248ATMK153
445076422	303ATMD033
445074452	298ATMD033



445038655	168SLHD009
445045655	188SLHD009
445050655	208SLHD009
445060655	248SLHD009
445045455	188ATMD009
445050455	208ATMD009
445060455	248ATMD009
445070455	288ATMD009
445050665	200SLHD009
445060652	238SLHD033

MC CULLOCH®

225735	188SLHD024
225736	208SLHD024
225737	208RND024
240974	160PXBK095
240975	180PXBK095
241366	248RND024
241368	288RND024
241996	180SET318
241997	160SET318
242023	130PXA095
242024	150PXA095
242151	120SDEA041
246567	140SLBK118
246568	150SLBK118
246569	168RND024
246570	208RND024
247063	188SLGD024
248283	140SDEA318
248284	160SDEA318
248632	208ATMD024
248633	248ATMD024
248634	288ATMD024
301095	160SDEA318
301187	120SDEA318
301188	140SDEA318
301189	180SDEA318
301325	140SDEA318
301326	160SDEA318
301328	180SDEA318
301460	120SDEA318
301617	160PXD276
301618	200PXD276
323215	180PXBK095
323217	200PXBK095

323219	160PXBK095
225735T	188SLHD024
225736T	208SLHD024
235732T	150SLBK118
237551T	168RND024

OLEO-MAC®

1000704	120SDEA111
1000705	140SDEA111
1000706	160SDEA129
1000745	228RNDK095
4000415	160SXA111
50030218	140SDEA041
50030231	120SDEA041
50050092	160SDEA041
50060017	130MLBK041
50060018	160MLBK041
51010051	124MLEA111
001000663	188RND024
001000664	208RND024
001000665	188ATMD024
001000666	208ATMD024
001000667	238ATMD024
001000668	258ATMD024
001000702	308ATMD024
001000707	168SLGK095
001000708	188SLGK095
001000725	150MLBK095
001000726	160MLBK095
001000741	208RNDK095
001000741	188ATMK095
001000743	188RNDK095
001000744	168RNDK095
001000748	413ATMZ031
001000751	303ATMZ031
001000752	363ATMZ031
001000764	168RND024
001000766	208RNBK095
001000769	188RNBK095
001000773	158RNBK095
001000789	258RNDK095
006000741	188ATMD024
006000906	168SLHD024
006100929	208SLHD024
006200741	188SLHD024
008100968	258ATMD024

094600170	188SFBK095
094600171	168SFBK095

PARTNER®

501956272	208SLHD010
501956452	138SLDH010
501958472	208SLDD009
501958584	248RND009
501958592	288RND009
501958668	188ATMH009
501958672	208ATMD009
501958684	248 ATMD009
501958692	288ATMD009
502958592	288RND010
530044328	140SDEA041
530044329	160SDEA041

SOLO®

6900130	140SET095
6900133	120SDEA095
6900342	138SLBK095
6900343	158SLGK095
6900372	248RND009
6900464	158RNBK095
6900465	188RNBK095
6900467	208RNDK095
6900498	188RND009
6900500	138RNBK095
6900641	160SET095
6900744	140SDEA095
6900861	188SLGK095
6900898	118SLBK095
6900930	144MLEA095
6900937	288RND009
6900965	124MLEA095
6900982	144MLET095
690046520	188RNBK095
6900343K	158SLGK095
6900343N	158SLGK095
6900861N	188SLGK095
6900930K	144MLET095
6900930N	144MLEA095

STIHL®

3002 000 8052	363ATLE099
3002 000 8423	213ATME031
3002 000 9215	173ATLE031
3002 000 9231	253ATME031
3002 000 9715	173RND031
3002 000 9723	213RNF031
3002 000 9723	213RND031
3002 000 9731	253RNF031
3002 001 8041	303ATLE099
3003 000 5211	153SLHD025
3003 000 5213	163SLHD025
3003 000 5217	183SLHD025
3003 000 5221	203SLHD025
3003 000 5306	133SLBD025
3003 000 5631	243ATMD025
3003 000 6106	133SLHD025
3003 000 6111	153SLHD025
3003 000 6113	163SLHD025
3003 000 6117	183SLHD025
3003 000 6121	203SLHD025
3003 000 6811	153SLGD025
3003 000 6813	163SLGD025
3003 000 6817	183SLGD025
3003 000 9211	153ATMD025
3003 000 9213	163ATMD025
3003 000 9217	183ATMD025
3003 000 9221	203ATMD025
3003 000 9413	163RND025
3003 000 9417	183RND025
3003 000 9421	203RND025
3003 000 9831	243RND025
3003 000 9853	363RND025
3003 001 9213	163ATMD025
3003 001 9221	203ATMD025
3005 000 4105	124MLEA074
3005 000 4109	144MLEA074
3005 000 4713	163SLBA074
3005 000 4805	120SDEA074
3005 000 4809	140SDEA074
3005 000 4813	160SDEA074



X = NO BEARING

DOLMAR®						
112, 113, 114, 116, 116si, 117, 119, 120, 120SI, 120 Super	119-223-100	27189X	68210		3/8	7
122, 123, 133, 143, CA	123-223-000	16372X	22273		3/8	8
152, 153, 166	152-223-100	27193X	22270		.404	7
109, 110, 111, 115	020-223-100	32162X			.325	8
ECHO®						
CS-280, CS-290, CS-300	175005-13931			27999	3/8 (91)	6
CS-301, CS-302, CS-315, CS-330, CS-351, CS-360	175005-11530			28000	3/8 (91)	6
CS-400, CS-440, CS-3900	175105-14630	29243X	11892		.325	7
CS-451, CS-452, CS-500, CS-510, CS-550, CS-610	175005-14330	21358X	18720	32794X	3/8	7
CS-650, CS-660	175005-14330	29313X	68210		3/8	7
CS-602, CS-702, CS-750	175005-12130	26098X	68210	32798X	3/8	7
CS-60, CS-60S	175005-00230	16208	68210	32782x	3/8	7
HOMELITE®						
190, Super 2, Super 2CC, VI Super 2, XEL, XL, XL2, XL Mini	A95653B			27958	3/8 (91)	6
330, 350, 350HG, 350SL (3≤ clutch), 360, 410, VI 123, VI 125, XL (76-100 Series)	A94302	30685X	68210	30688X	3/8	7
150 AO, 350, 350HG, 350SL (with 2-5/8≤ clutch with 5/8≤-dia. shaft), EZ, EZ 250 AO, EZ Auto, SEZ AO, SXL Mini AO, VI 123, XL 76 (without brake), XL 101, XL Mini AO	A65987A	30672X	68210		3/8	7
	A12294			30432X	3/8	7
450, 550, Super XL Auto, XL-12 (after S/N 1735838), XL (800-924 Series), super XL 925 (with 6-shoe clutch), VI 944, VI 955	A65990	30666X	68210		3/8	7
	A95620			30681X	3/8	7
7-19, 600D, 700D, 707D, 770D, 775D, C5, C7, C9, C51, C71, C72, C91, EZ, EZ6, Super Zip, SXP1020, XP1000, XP1020, XP1100, ZIP	A57344	10616	22270		.404	7
HUSQVARNA®						
33, 34, 35, 37, 38	507-1005-51			28001	3/8 (91)	6
50, 51, 55, 154, 254, 262	505-3036-52	29175X	11892		.325	7
254, 257, 262	503-7009-01	100757	68210		3/8	7
	503-7261-01	100758x	11892		.325	7
44, 140, 240, 340, 444	501-4573-01	19117	11892		.325	7
61, 66, 162, 266, 268, 272	501-8316-01	102469	68210		3/8	7
	501-6741-01			32071	3/8	8
	501-5140-01			32057	3/8	7
266, 268, 272	503-7014-01	26831	68210		3/8	7
371	503-7955-01	105772x	68210		3/8	7
77, 160, 163, 180, 263, 280, 380, 480, L-65	501-2559-01	22209	68210	32058	3/8	7
	501-2037-01	24256	22270		.404	7
	501-6747-01			32125	3/8	8
181, 185, 281, 285, 288, 298, 394, 1100, 2100, 2101	501-5977-02	28094X	68210	32059X	3/8	7
	501-2930-01			39245	.404	7
	501-5978-01	22132X	22270		.404	7
42, 133, 234, 238, 242	501-6366-02	29105	11892		.325	7
40, 45	504-5230-04	35641X	11892		.325	7
3120 Jungle, 3120 XP	503-1433-01	37395X	68210		3/8	7
JONSERED®						
36, 361, 365	100551			28001	3/8 (91)	6
45, 49, 50, 51, 52, 451, 521	50452-3000	21238X	11891		.325	8

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



X = NO BEARING

JONSERED® /..

450, 455, 510, 520, 525, 535, 2051	50452-3007	26950X	11891		.325	8
	50317-4001	29496X	18720		3/8	7
625, 630, 630 Super, 630 West Coast, 670	50183-1601	102469	68210	32057	3/8	7
	50183-1501			32071	3/8	8
	503-7009-01	26831	68210		3/8	7
820, 910, 920, 930	50452-3008	28563X	22273		3/8	8
490, 590	50530-3652	29175X	11892		.325	7
410, 420, 425, 435	50452-3004	32940X	11892		.325	7
2045, 2050	50452-3004	35641X	11892		.325	7
2077, 2083	503-4310-01	102383x	68210		3/8	7
2094, 2095	506-1530-02	39668X	68210		3/8	7

MC CULLOCH®

365, Mac 110 through 140, Mini Mac, PM 480, Power Mac 310 through 340, Titan 35-40	215252			29888	3/8 (91)	6
155, 165, 355, 375, 515, 610, 650, 655, 700, Mac 1-10 through 10-10 Series, Pro Mac 55	65370	68209X	68210	32786X	3/8	7
805, 850, SP-70	95166	21426X	22270		.404	7
1-70 series, 105, 125, 200, 250, 300, 380, 440, 450, 550, 740, 790, 795, 797 (1/2" bearing), CP-125, SP-125	51774-B	10624	22270		.404	7

POULAN® / POULAN® PRO

205, 225, 235, 1800, 2000, 2100, 2300, 2400, 3300, Micro 25	48078			28004	3/8 (91)	6
25 series (except Micro 25), S25	48039			28006	3/8 (91)	6
360, 361, 400, 401, 450, 451	10007	10617	68210		3/8	7
375, 395, 3400, 3700, 3800, 4000	48063	28187X	68210		3/8	7
	48062			32790X	3/8	7
245, 306, 4200, 4400, 4900, 5200, 5400	48001	23706X	68210		3/8	7
	48023			32062X	3/8	7
5500, 6000	90005	27193X	22270		.404	7
285, 305, 335, 336, 2800, 3000, 3300	48083	34254X	11892		.325	7
415, 475	5034310-01	40371X	68210		3/8	7

STIHL®

017, 021, 023, 025	1123-640-2000			100962x	3/8 (91)	6
	1123-007-1003	100961X	37325		.325	7
009, 010, 011	1120-640-2000			28016X	3/8 (91)	6
024, 026 (before S/N X25809074)	1121-007-1001	32457X	11892		.325	7
	1121-640-2003			38076X	.325	7
028, 028 Super	1118-007-1004	30384X	11892		.325	7
	1118-007-1007	29917X	18720		3/8	7
030, 031, 032, 041 (after S/N 5664891)	1113-640-2000			32060	3/8	7
	1110-007-1040	18200X	68210		3/8	7
041 (before S/N 5664891)	1110-007-1017	13916X	68210		3/8	7
038	1119-642-2000			32061x	3/8	7
029, 034, 034 Super, 036, 039	1125-640-2000			38145X	3/8	7
	1125-007-1002	34162X	68210		3/8	7
048	1117-640-2000			32064X	3/8	7



X = NO BEARING

STIHL® ./..						
044, 046	1128-007-1000	38470X	68210		3/8	7
	1128-640-2000			38471X	3/8	7
045, 056S (before S/N 10963560)	1115-640-2001			32063X	3/8	7
056S (after S/N 10963560)	1115-007-1048	29972X	68210		3/8	7
050, 051, 075, 076	1111-640-2026	22271X	22273		3/8	8
	1116-640-2002			32072X	.404	7
	1111-640-2025	22262X	22270		.404	7
070	1106-640-2011			32669X	.404	7
075, 08, S-10	1106-640-2025	10625X	22270		.404	7
064, 066	1122-007-1001	35464X	68210		3/8	7
	1122-007-1002	35460X	22270		.404	7
024, 026 (after S/N X25809074)	1121-007-1001	100791X	11892		.325	7



[illegible]

[illegible]

[illegible]